Registration form

BACTERIOLOGICAL DISEASES II \$250.00 48 HOUR RUSH ORDER PROCESSING FEE ADDITIONAL \$50.00

Start and Finish Dates: You will have 90 days from this date in ord	ler to complete this co	ourse
List number of hours worked on assignme	nt must match State F	Requirement.
Name	Signature le 2. Digitally sign XXX	
Address		
City	_State	Zip
Email	Fax	()
Phone: Home ()	Work (_)
Operator ID #		Exp. Date
Please circle/check which certification water Treatment Water Distribution		
Technical Learning College Toll Free (866) 557-1746		
If you've paid on the Internet, please wr	ite your Customer#_	
Please invoice me, my PO#		
Please pay with your credit card on our	website under Bool	kstore or Buy Now. Or call us

We will stop mailing the certificate of completion so we need either your fax number or email address. We will e-mail the certificate to you, if no e-mail address; we will fax it to you.

and provide your credit card information.

DISCLAIMER NOTICE

I understand that it is my responsibility to ensure that this CEU course is either approved or accepted in my State for CEU credit. I understand State laws and rules change on a frequent basis and I believe this course is currently accepted in my State for CEU or contact hour credit, if it is not, I will not hold Technical Learning College responsible. I also understand that this type of study program deals with dangerous conditions and that I will not hold Technical Learning College, Technical Learning Consultants, Inc. (TLC) liable for any errors or omissions or advice contained in this CEU education training course or for any violation or injury or neglect or damage caused by this CEU education training or course material suggestion or error. I will call or contact TLC if I need help or assistance and double-check to ensure my registration page and assignment has been received and graded.

State Approval Listing Link, check to see if your State accepts or has pre-approved this course. Not all States are listed. Not all courses are listed. If the course is not accepted for CEU credit, we will give you the course free if you ask your State to accept it for credit.

Professional Engineers; Most states will accept our courses for credit but we do not officially list the States or Agencies. Please check your State for approval.

State Approval Listing URL...

http://www.abctlc.com/downloads/PDF/CEU%20State%20Approvals.pdf

You can obtain a printed version of the course manual from TLC for an additional \$169.95 plus shipping charges.

AFFIDAVIT OF EXAM COMPLETION

I affirm that I personally completed the entire text of the course. I also affirm that I completed the exam without assistance from any outside source. I understand that it is my responsibility to file or maintain my certificate of completion as required by the state or by the designation organization.

Grading Information

In order to maintain the integrity of our courses we do not distribute test scores, percentages or questions missed. Our exams are based upon pass/fail criteria with the benchmark for successful completion set at 70%. Once you pass the exam, your record will reflect a successful completion and a certificate will be issued to you.

Rush Grading Service

If you need this assignment graded and the results mailed to you within a 48-hour period, prepare to pay an additional rush service handling fee of \$50.00. This fee may not cover postage costs. If you need this service, simply write RUSH on the top of your Registration Form. We will place you in the front of the grading and processing line.

For security purposes, please fax or e-mail a copy of your driver's license and always call us to <u>confirm</u> we've received your assignment and to confirm your identity.

CERTIFICATION OF COURSE PROCTOR

Technical Learning College requires that our students who takes a correspondence or home study program course must pass a proctored course reading, quiz and final examination. The proctor must complete and provide to the school a certification form approved by the commission for each examination administered by the proctor.

Instructions . When a student completes the course work, fill out the blanks in this section and provide the form to the proctor with the examination.
Name of Course:
Name of Licensee:
Instructions to Proctor . After an examination is administered, complete and return this certification and examination to the school in a sealed exam packet or in pdf format.
I certify that:
 I am a disinterested third party in the administration of this examination. I am not related by blood marriage or any other relationship to the licensee which would influence me from properly administering the examination. The licensee showed me positive photo identification prior to completing the examination. The enclosed examination was administered under my supervision on The licensee received no assistance and had no access to books, notes or reference material. I have not permitted the examination to be compromised, copied, or recorded in any way or by any method. Provide an estimate of the amount of time the student took to complete the assignment.
Time to complete the entire course and final exam
Notation of any problem or concerns:
Name and Telephone of Proctor (please print):
Signature of Proctor

Bacteriological Diseases II Answer Key

Name			
Phone			
Did you check with y	our State agency to er	nsure this course is acce	pted for credit?
		is accepted for credit. No n. Please fill this section	refunds.
Website Telephor	ne Call Email \$	Spoke to	
Did you receive the a	approval number, if ap	plicable?	
What is the course a	pproval number, if app	olicable?	
You can electronical	lly complete this assig	nment in Adobe Acrobat	DC.
Please Circle, Bold, U	nderline or X, one answ	er per question. A felt tipp	ed pen works best.
1. ABCD	19. A B	37. AB	55. A B C D
2. A B C D	20. ABCD	38. ABCD	56. ABCD
3. A B C D	21. A B	39. ABCD	57. ABCD
4. AB	22. ABCD	40. A B C D	58. ABCD
5. A B C D	23. ABCD	41. A B C D	59. ABCD
6. ABCD	24. ABCD	42. A B	60. ABCD
7. A B C D	25. A B	43. A B	61. ABCD
8. ABCD	26. ABCD	44. A B	62. ABCD
9. ABCD	27. ABCD	45. A B	63. AB
10. ABCD	28. ABCD	46. A B	64. AB
11. ABCD	29. ABCD	47. A B	65. A B
12. AB	30. ABCD	48. A B C D	66. ABCD
13. AB	31. ABCD	49. ABCD	67. ABCD
14. ABCD	32. ABCD	50. ABCD	68. ABCD
15. ABCD	33. AB	51. ABCD	69. ABCD
16. ABCD	34. ABCD	52. ABCD	70. AB
17. ABCD	35. ABCD	53. ABCD	71. A B
18. ABCD	36. ABCD	54. ABCD	72. ABCD

	ADOD		TI C @ 1/13/2020	
	A B C D	137. A B C D 138. A B C D	170. A B C D 171. A B C D	203. ABCD 204. ABCD
	ABCD	136. A B C D	169. A B C D	202. AB
	ABCD	135. A B	168. A B C D	201. A B
	ABCD	134. A B	167. A B C D	200. AB
	ABCD	133. A B	166. A B C D	199. AB
	ABCD	132. A B	165. A B C D	198. ABCD
	ABCD	131. A B	164. A B C D	197. ABCD
	ABCD	130. A B C D	163. A B C D	196. ABCD
96.	ABCD	129. A B C D	162. A B C D	195. ABCD
95.	ABCD	128. A B C D	161. A B C D	194. ABCD
94.	ABCD	127. A B C D	160. A B C D	193. ABCD
93.	ABCD	126. A B C D	159. A B C D	192. ABCD
92.	AB	125. A B C D	158. A B C D	191. ABCD
91.	ABCD	124. A B C D	157. A B C D	190. ABCD
90.	АВ	123. A B C D	156. A B C D	189. ABCD
89.	ABCD	122. A B C D	155. A B C D	188. ABCD
88.	ABCD	121. A B	154. A B C D	187. ABCD
87.	ABCD	120. A B C D	153. A B C D	186. ABCD
86.	AB	119. A B C D	152. A B C D	185. ABCD
85.	ABCD	118. A B C D	151. A B C D	184. AB
84.	ABCD	117. A B C D	150. A B C D	183. AB
83.	ABCD	116. A B C D	149. A B C D	182. AB
82.	ABCD	115. A B	148. A B C D	181. AB
81.	ABCD	114. A B C D	147. A B C D	180. AB
80.	ABCD	113. A B	146. A B C D	179. AB
79.	ABCD	112. A B C D	145. A B C D	178. AB
78.	АВ	111. A B C D	144. A B C D	177. AB
77.	ABCD	110. A B	143. A B C D	176. AB
76.	ABCD	109. A B C D	142. A B C D	175. AB
75.	ABCD	108. A B	141. A B C D	174. ABCD
	ABCD	107. A B C D	140. A B C D	173. ABCD
73.	АВ	106. A B C D	139. A B C D	172. ABCD

205.	ABCD	238.	ABCD	271. ABCD	304. ABCD
206.	ABCD	239.	ABCD	272. ABCD	305. ABCD
207.	ABCD	240.	ABCD	273. ABCD	306. ABCD
208.	ABCD	241.	ABCD	274. ABCD	307. ABCD
209.	ABCD	242.	ABCD	275. ABCD	308. AB
210.	АВ	243.	ABCD	276. ABCD	309. AB
211.	АВ	244.	АВ	277. ABCD	310. AB
212.	АВ	245.	ABCD	278. AB	311. AB
213.	ABCD	246.	ABCD	279. AB	312. AB
214.	АВ	247.	АВ	280. AB	313. AB
215.	ABCD	248.	АВ	281. ABCD	314. AB
216.	AB	249.	AB	282. ABCD	315. AB
217.	ABCD	250.	ABCD	283. ABCD	316. AB
218.	ABCD	251.	AB	284. AB	317. AB
219.	AB	252.	ABCD	285. AB	318. AB
220.	AB	253.	АВ	286. AB	319. ABCD
221.	АВ	254.	АВ	287. AB	320. ABCD
222.	ABCD	255.	ABCD	288. ABCD	321. AB
223.	ABCD	256.	АВ	289. ABCD	322. AB
224.	ABCD	257.	АВ	290. ABCD	323. AB
225.	АВ	258.	АВ	291. AB	324. AB
226.	АВ	259.	АВ	292. AB	325. AB
227.	ABCD	260.	ABCD	293. ABCD	326. AB
228.	ABCD	261.	ABCD	294. ABCD	327. AB
229.	ABCD	262.	ABCD	295. ABCD	328. AB
230.	ABCD	263.	ABCD	296. ABCD	329. AB
231.	АВ	264.	ABCD	297. ABCD	330. AB
232.	АВ	265.	ABCD	298. ABCD	331. AB
233.	ABCD	266.	ABCD	299. ABCD	332. ABCD
234.	ABCD	267.	ABCD	300. ABCD	333. AB
235.	ABCD	268.	ABCD	301. ABCD	334. AB
236.	ABCD	269.	ABCD	302. AB	335. ABCD
237.	ABCD	270.	ABCD	303. ABCD	336. ABCD
Pag	tarialogical Dispasas II A	Acciann	nont 7	TI C @ 1/13/2020	www.ahctlc.com

337. ABCD	353.	ABCD	369. ABCD	385. AB
338. ABCD	354.	ABCD	370. ABCD	386. ABCD
339. ABCD	355.	ABCD	371. AB	387. ABCD
340. ABCD	356.	ABCD	372. AB	388. ABCD
341. ABCD	357.	ABCD	373. AB	389. AB
342. ABCD	358.	ABCD	374. ABCD	390. AB
343. ABCD	359.	ABCD	375. ABCD	391. ABCD
344. ABCD	360.	ABCD	376. ABCD	392. ABCD
345. ABCD	361.	ABCD	377. AB	393. ABCD
346. ABCD	362.	ABCD	378. AB	394. ABCD
347. ABCD	363.	ABCD	379. AB	395. ABCD
348. ABCD	364.	ABCD	380. AB	396. ABCD
349. ABCD	365.	АВ	381. AB	397. ABCD
350. ABCD	366.	АВ	382. ABCD	398. ABCD
351. ABCD	367.	АВ	383. ABCD	399. ABCD
352. ABCD	368.	ABCD	384. ABCD	400. ABCD

I understand that I am 100 percent responsible to ensure that TLC receives the Assignment and Registration Key and that it is accepted for credit by my State or Providence. I understand that TLC has a zero tolerance towards not following their rules, cheating or hostility towards staff or instructors. I need to complete the entire assignment for credit. There is no credit for partial assignment completion. My exam was proctored. I will contact TLC if I do not hear back from them within 2 days of assignment submission. I will forfeit my purchase costs and will not receive credit or a refund if I do not abide with TLC's rules. I will not hold TLC liable for any errors, injury, death or non-compliance with rules. I will abide with all federal and state rules and rules found on page 2.

Please Sign that you understand and will abide with TLC's Rules.

Signature

Please write down any questions you were not able to find the answers or that have errors.

Please e-mail or fax this survey along with your final exam

BACTERIOLOGICAL DISEASES II CEU COURSE CUSTOMER SERVICE RESPONSE CARD

NAME:							
							DNE
PLEASE CO					-		THE NUMBER OF THE '.
Please rate t	he diffi	culty of	f your c	ourse.			
Very Easy	0	1	2	3	4	5	Very Difficult
Please rate t	the diffi	culty of	f the tes	sting p	rocess.		
Very Easy	0	1	2	3	4	5	Very Difficult
							actual field or work. Very Different
How did you	hear a	bout th	is Cou	rse?		· · · · · · · · ·	
What would	you do	to imp	rove the	e Cour	se?		
Any other co	ncerns	or con	nments				

When finished with your assignment.

Please scan the Registration Page, Answer Key and Driver's License and email it to info@TLCH2O.com.

If you are unable to scan, take a photo of these documents with your iPhone and send these to TLC, info@TLCH2O.com.

If you are unable to scan and email, please fax these to TLC,

(928) 468-0675 If you fax, call to confirm that we received your paperwork.

Rush Grading Service

If you need this assignment graded and the results mailed to you within a 48-hour period, prepare to pay an additional rush service handling fee of \$50.00.

This course contains general EPA's SDWA federal rule requirements. Please be aware that each state implements water / sampling procedures/ safety / environmental / SDWA regulations that may be more stringent than EPA's regulations. Check with your state environmental/health agency for more information. These rules change frequently and are often difficult to interpret and follow. Be careful to be in compliance with your regulatory agencies and do not follow this course for any compliance concerns.

Bacteriological Diseases II CEU Training Course Assignment

The Bacteriological Diseases II CEU course assignment is available in Word on the Internet for your convenience, please visit www.ABCTLC.com and download the assignment and e-mail it back to TLC.

You will have 90 days from receipt of this manual to complete it in order to receive your Professional Development Hours (PDHs) or Continuing Education Unit (CEU). A score of 70 % or better is necessary to pass this course. If you should need any assistance, please email or fax all concerns and the completed ANSWER KEY to info@tlch2o.com.

Select one answer per question. Please utilize the answer key. (s) on the answer will indicate either plural and singular tenses.

Hyperlink to the Glossary and Appendix

http://www.abctlc.com/downloads/PDF/WTGlossary.pdf

Three Types of Public Water Systems

- 1. Provides water to the same people at least six months a year, but not all year for example: schools, factories, churches, office buildings that have their own water system)
- A. TNCWS C. NTNCWSs
- B. CWSs D. None of the above
- 2. Approximately 18,000 water systems
- A. TNCWS C. NTNCWSs
- B. CWSs D. None of the above
- 3. Approximately 52,000 systems serving the majority of the U.S. population
- A. TNCWS C. NTNCWSs
- B. CWSs D. None of the above

Water Quality Section

Surface (Raw) Water Introduction

- 4. Raw water generally contains varying amounts of dissolved minerals including calcium, magnesium, sodium, chlorides, sulfates and bicarbonates, all depending upon its source.
- B. False A. True

Water Pro	

ouriace water i reperties					
5. Water is accepted as the		because will	dissolve most	subs	tances
that it comes in contact with.					
A. Universal solvent (C. Surface water				
B. Water quality	D. None of the above				
6. Depending on the region	n, some lakes and river	s receive		from	sewer
facilities or defective septic tan	ıks.				
A Excess nutrients (C Discharge				

- B. Biological actions
- D. None of the above

7. Runoff could produce mud, leaves, decayed vegetation, and human and animal refuse. The discharge from industry could increase Some lakes and reservoirs may experience seasonal turnover. A. Volatile organic compounds B. Water quality D. None of the above
 8. Adjustments in the dissolved oxygen, algae, temperature, suspended solids, turbidity, and carbon dioxide will change because of A. Excess nutrients C. Discharge B. Biological actions D. None of the above
Managing Water Quality at the Source 9. Contingent upon the region, source water may have several restrictions of use as part of a Water Shed Management Plan. In some areas, it may be restricted from recreational use, discharge or runoff from agriculture, or A. Excess nutrients C. Industrial and wastewater discharge B. Biological actions D. None of the above
10. Algae can be controlled in the water supply by using chemicals such
as A. pH and alkalinity B. Copper sulfate C. Powdered activated carbon and chlorine D. None of the above
11. Contingent upon federal regulations and the amount of copper found natural in water, operators have used, powdered activated carbon and chlorine to control algae blooms. A. pH and alkalinity
12. Another characteristic of quality control is dealing with aquatic plants. The ecological equilibrium in lakes and reservoirs plays a natural part in purifying and sustaining the life of the lake. Certain vegetation removes the excess nutrients that would promote the growth of algae. Too much algae will imbalance the lake and kill fish. A. True B. False
13. Algae growth is supplied by the energy of the sun. As algae absorbs this energy, it converts carbon dioxide to oxygen. Algae and rooted aquatic plants are essential in the food chain of fish and birds. Algae growth is the result of photosynthesis.A. True B. False
Physical Characteristics of Water 14 is a substance that can give up a hydrogen ion (H+); a base is a substance that can accept H+. A. Acid
15. The more acidic a solution the greater the hydrogen ion concentration and the lower the pH; a pH of 7.0 indicates neutrality, a pH of less than 7 indicates acidity, and a pH of more than 7 indicates A. Acid C. Alkalinity B. Base D. None of the above
D. 14010 of the above

metals such as carbonates, fluoride, The consumer relates it to scaling
of faucets or staining. A. pH and alkalinity C. Powdered activated carbon and chlorine B. Sulfides or acids D. None of the above
17. Total Dissolved Solids (TDS) is not a primary pollutant; it is a gauge of appealing water characteristics such as hardness and an indication of an assortment of chemical contaminants that might be present, such as? A. Turbidity C. Arsenic B. Colloids D. None of the above
18. pH is the negative logarithm of the hydrogen ion concentration, [H ⁺], a measure of the degree to which a solution is A. Alkalinity C. Hydrogen ion (H ⁺) B. Acidic or alkaline D. None of the above
Alkalinity 19. Alkalinity of water is its acid-neutralizing capacity. It is the sum of all the titratable bases. The measured value may vary significantly with the end-point pH used. A. True B. False
Turbidity Introduction 20. One physical feature of water is turbidity. A measure of the cloudiness of water caused by The cloudy appearance of water caused by the presence of tiny particles.
A. Suspended particles C. Temperature fluctuation B. Variations D. None of the above
21. High levels of turbidity may inhibit with proper water treatment and monitoring. If high quality raw water is low in turbidity, there will be a reduction in water treatment costs. Turbidity is unwanted because it causes health hazards. A. True B. False
22. Usually, the extra coagulant required is relatively small when turbidities are much higher than normal due to higher collision probabilities of theduring high turbidities. A. Turbidity C. Total Dissolved Solids (TDS) B. Colloids D. None of the above
23. Low waters can be very difficult to coagulate due to the difficulty in inducing collision between the colloids. A. Turbidity C. Total Dissolved Solids (TDS) B. Colloids D. None of the above
24may be existing in a water supply due to pollution, and these colloids can be difficult to remove in the coagulation process. In this situation, higher coagulant dosages are generally required. A. Turbidity C. Total Dissolved Solids (TDS) B. Organic colloids D. None of the above

turbidity levels to increase. In most cases, the particle sizes are relatively large and settle relatively quickly in both the water treatment plant and the source of supply. However, in some instances, fine, colloidal material may be present in the supply, which may cause some difficulty in the coagulation process. A. True B. False
26. Generally, higher turbidity levels require higher coagulant dosages. However, seldom is the relationship between turbidity level andlinear. A. Coagulant dosage C. Temperature B. Total Dissolved Solids (TDS) D. None of the above
Turbidity MCL 27. An MCL for turbidity established by the EPA becauseinterferes with disinfection. This characteristic of water changes the most rapidly after a heavy rainfall. A. Conductivity C. Temperature B. Turbidity D. None of the above
28. The temperature variation of a sample, a scratched or unclean sample tube in the nephelometer and selecting an incorrect wavelength of a light path may be conditions caused by an inaccurate measurement. A. Conductivity C. Temperature B. Turbidity D. None of the above
Dissolved Oxygen 29. The level of dissolved oxygen in natural waters is often a direct indication of quality, since aquatic plants produce oxygen, while microorganisms generally consume it as they feed on
A. Pollutants C. E. coli bacteria B. Organic matter D. None of the above
30. At low temperatures, the is increased, so that in winter, concentrations as high as 20 ppm may be found in natural waters; during summer, saturation levels can be as low as 4 or 5 ppm. A. Dissolved oxygen
31 is essential for the support of fish and other aquatic life and aids in the natural decomposition of organic matter. A. Dissolved oxygen B. Thermal stratification C. Solubility of oxygen D. None of the above
Secondary Standard 32. TDS is most often measured in parts per million (ppm) or milligrams per liter of water (mg/L). The normal TDS level ranges from A. 50 ppm to 1,000 ppm C. 50 ppm to 100 ppm B. 5 ppm to 10 ppm D. None of the above

33. The Environmental Protection Agency (EPA), which is responsible for drinking water regulations in the United States, has identified TDS as a secondary standard, meaning that it is a voluntary guideline. While the United States set legal standards for many harmful substances, TDS, along with other contaminants that cause aesthetic, cosmetic, and technical effects, has only a guideline. A. True B. False
Langelier Saturation Index
34. The Langelier Saturation index (LSI) is an evenness scale derived from the theoretical concept of saturation and provides an indicator of the degree of saturation of water with respect to calcium carbonate. It can be shown that the Langelier saturation index (LSI) approximates the base 10 logarithm of thesaturation level.
A. Magnesium carbonate C. Calcite B. Calcium carbonate D. None of the above
35. The Langelier saturation level approaches the concept of saturation using pH as a main variable. The LSI can be interpreted as the pH change required to bring water to
A. Saturation level(s) C. Equilibrium B. Stratification D. None of the above
More on the Stage 2 DBP Rule 36. Which of the following rules focuses on public health protection by limiting exposure to DBPs, specifically total trihalomethanes and five haloacetic acids, which can form in water through disinfectants used to control microbial pathogens? A. Stage 2 DBP rule C. Long Term 2 Enhanced Surface Water Treatment Rule B. Stage 1 DBPR D. None of the above 37. Safe Drinking Water Act (SDWA) has been highly effective in protecting public health and has evolved to respond to new and emerging threats to safe drinking water.
A. True B. False
 38. Which of the following is one of the major public health advances in the 20th century? A. Disinfection of drinking water B. Water distribution C. Amendments to the SDWA D. None of the above
39. There are specific microbial pathogens, such as, which can cause illness, and are highly resistant to traditional disinfection practices. A. Cryptosporidium C. Protozoa B. E. coli host culture D. None of the above
What are Disinfection Byproducts (DBPs)? 40. Which of the following form when disinfectants used to treat drinking water react with naturally occurring materials in the water? A. Chloramines C. Disinfection byproducts (DBPs)
B. Humic and fulvic acids D. None of the above
41. Total trihalomethanes and haloacetic acids are widely occurring formed during disinfection with chlorine and chloramine. A. Gases C. Classes of DBPs B. Substances D. None of the above

42. The presence of TTHM and HAA5 is representative of the occurrence of many other chlorination DBPs; thus, an increase of TTHM and HAA5 generally indicates an increase of DBPs from chlorination.

B. False A. True

All disinfectants form DBPs in one of two reactions:

43. Chorine and chlorine-based compounds (halogens) react with organics in water causing the hydrogen atom to substitute other atoms, resulting in halogenated by-products.

A. True B. False

44. Secondary by-products are also formed when multiple disinfectants are used.

A. True

B. False

45. The EPA Surface Water Treatment Rule (SWTR) requires systems using public water supplies from either surface water or groundwater under the direct influence of surface water to disinfect.

A. True

B. False

Public Health Concerns

46. Results from toxicology studies have shown several DBPs (e.g., bromodichloromethane, bromoform, chloroform, dichloroacetic acid, and bromate) to be inert to laboratory animals.

A. True B. False

47. Other DBPs (e.g., chlorite, bromodichloromethane, and certain haloacetic acids) have also been shown to cause adverse mutations (extra chromosomes) in laboratory animals.

A. True B. False

48	is unquestionably the most important step in the treatment of water for
drinking water supplies.	
A. DBP(s)	C. Disinfection
B. Turbidity (particle)	D. None of the above
49. The	should not be compromised because of concern over the
potential long-term effects	of disinfectants and DBPs.
A. DBP(s)	C. Microbial quality of drinking water
B. Turbidity (particle)	D. None of the above

Controlling Disinfection Byproducts

50. Treatment techniques are available that provide water suppliers the opportunity to maximize potable water safety and quality while minimizing the risk of ...

A. DBP risks

C. Disinfectants and DBPs

B. Turbidity (particle)

D. None of the above

51. Generally, the best approach to reduce ______is to remove natural organic matter precursors prior to disinfection.

A. DBP(s)

C. DBP formation

B. Turbidity (particle) D. None of the above

matter prior to disinfection: Coagul			ely remove r	iaturai orga	anic
52. Most treatment plan			coagulation	process	for
removal.			9	.	
A. Inorganic coagulants C. Turb					
B. Most contaminants D. None	of the above				
53. Coagulation processes can also be doses of (suc				•	gher
doses of(suc A. THMs and HAAs C. Natu	ral organic matter	-		p	
B. Inorganic coagulants D. None	of the above				
Absorption					
54. Activated carbon can be used to	absorb	1	hat react with	disinfectant	ts to
form byproducts.					
A. Inorganic coagulants C. Solul B. Most contaminants D. None	ole organics				
B. Most contaminants D. None	or the above				
Water Microbiology Section					
55. Who was the famous German sci					
developed techniques for growing cult	ures of single org	anisms tha	it allowed the a	assignment o	of
specific bacteria to specific diseases?					
A. Louis Pasteur C. Robe B. Martinus Beijerinck D. None					
b. Martinus Deljerinck D. None	; or the above				
56. The first experimental transmission					
scientist when he demonstrated that				could tran	ısfer
tobacco mosaic disease to a new plan		on the leav	es?		
A. Louis Pasteur C. Wendell Me B. Adolf Mayer D. None of the	edith Stanley				
B. Adolf Mayer D. None of the	above				
57. Who was the French-Canadian s	cientist who disce	overed tha	t viruses of ba	cteria, which	h he
named bacteriophage, could make ho		bacteria?			
A. Louis Pasteur C. Walter Reed					
B. Félix H. d'Hérelle D. None of the	above				
58. In 1900, the American bacterio	ogist		_ and colleag	ues recogn	ized
yellow fever virus as the first human fi					
	C. Louis Pasteur				
B. Wendell Meredith Stanley). None of the ab	ove			
59. Viruses were once referred to as					
	was employed	strictly for	this new cla	ss of infect	ious
agents.	iomo				
A. Slimy liquid C. Macroorgan B. Bacteriophages D. None of the					
B. Bacteriophages B. None of the	above				
60. Through the 1940s and 1950s, m	-				_
the study of could be grown in the laboratory.	_because of the	ease with	wnich the bac	teria they in	nect
A. Cell culture systems C. Macr	oorganisms				
	of the above				

61. Two German biologis theory' in 1838. AccordingA. Robert HookeB. Matthias Schleiden		chwann proposed the "Cell ed of cells.
62preexisting cells. A. Thedore Schwann B. Matthias Schleiden	_ completed the cell theory with the idea t C. Rudolph Virchow D. None of the above	hat all cells must arise from
	ria, there is even a species of Deinocoo on 10 times greater than would kill a humar	
64. "Bacteria" is a plural wo A. True B. False	ord. The singular for this word is "bacteriur	n" (bacter = rod, staff).
	tes (Kingdom Monera), which means that some of double-stranded DNA in a ring.	they have No true nucleus.
	eria relatives that can do photosynthesistl other needed chemicals are built into thei Cellulose None of the above	
67. Bacteria consist of only A. A single cell C. D. B. An organelle D. N	Double-stranded DNA	
	n found that can live in temperatures abo our blood. They "eat" everything from su	
Prokaryotes 69. The only prokaryotes a whose cells have nuclei. A. Bacteria C. E B. Microorganism D. N	are Bacteria and archaea all other life forr Eukaryotes None of the above	ns arecreatures
	one of three different shapes, some are ro haped like little balls and called cocci (cox-	
71. Bacterial cells exist as A. True B. False	cluster together to form pairs, chains, squ	ares or other groupings.
A. Chloroplasts C. C	make energy for your body cells is one ex Chemical battery None of the above	ample of?

73. A single teaspoon of topA. TrueB. False	osoil may contain more than a billion (1,000,000,000) bacteria.
Peptidoglycan	
74. The amount and locati	on of theare different in the two possible types of cell
walls, depending on the spe-	cies of bacterium.
A. Capsule	C. Cytoplasmic granules
B. Peptidoglycan	D. None of the above
75. Penicillin, inhibit the form	mation of the chemical cross linkages needed to make?
A. Bacteria	C. Cytoplasmic granules
A. Bacteria B. Peptidoglycan	D. None of the above
and reproduce.	tibiotic, any living bacteria could start making, grow,
A. Bacteria	C. Cytoplasmic granules
A. Bacteria B. Peptidoglycan	D. None of the above
Gram Stain	
77. Two possible types of	may have more peptidoglycan than the other.
A. Bacteria	C. Bacterial cell walls
B. Chemical cross linkages	D. None of the above
	he amount of peptidoglycan in the cell walls of the bacteria under nose bacteria absorb the dyes with which they are stained; thus, or Gram
purple color?	have simpler cell walls with lots of peptidoglycan, and stain a dark
A. Aerobic	C. Gram⁺
B. Gram -	D. None of the above
less of the purple dye used a	
A. Aerobic	
B. Gram -	D. None of the above
	often incorporate toxic chemicals into their cell walls, and thus tend
to cause worse reactions in	
A. Aerobic B. Gram -	C. Gram⁺ D. None of the above
Two types of cells- Prokar	votes and Eukanyotes
	exhibits all the characteristics of life but it lacks the complex system
A. Prokaryotic cell	C. Coliform bacteria
B. Enteric-like bacteria	

Structure	of a	Eukary	otic	Cel	I
-----------	------	--------	------	-----	---

- 83. Cell Membrane: The cell is enclosed and held intact by the cell membrane/plasma membrane/cytoplasmic membrane and is composed of large molecules of proteins and?
- A. Cytoplasmic granules C. Phospholipids
- B. Cell wall D. None of the above
- 84. Which of the following is selectively permeable?
 A. Cytoplasmic granules
 B. DNA and proteins
 C. Cellular membrane
 D. None of the above

Nucleus

85. Which of the following is enclosed in the nuclear membrane and contains chromosomes?

A. Chromosomes C. Macromolecular polymer-peptidoglycan

B. Nucleus D. None of the above

86. A single circular DNA molecule consists of many genes. A gene is a coiled unit made up of Cytoplasmic granules and proteins that code for or determine a particular characteristic of an individual organism.

A. True B. False

Cytoplasm

87. Cytoplasm is comprised of a semifluid gelatinous nutrient matrix and cytoplasmic organelles including endoplasmic reticulum, ribosomes, Golgi complex, mitochondria, ______, microtubules, lysosomes and vacoules.

A. Chromosomes C. Centrioles

B. Procaryotes D. None of the above

Cilia and Flagella

88. Which of the following reflect cells that possess relatively long and thin structures called Flagella?

A. Eukaryotic C. Prokaryotic

B. Paramecium D. None of the above

89. Which of the following are organs of locomotion but are shorter and more numerous?

A. Cytoplasmic granules C. Flagellin

B. Cilia D. None of the above

Structure of a Procaryotic Cell

90. All bacteria are prokaryotes and are simple cells and they divide by binary fission.

A. True B. False

Chromosome

91. The chromosome of a prokaryotic cell normally consists of a single circular _____ and serves as the control center of the bacterial cell.

A. Cytoplasmic granules C. Singular circular DNA molecule

B. DNA molecule D. None of the above

92. A characteristic bacterial chromosome contains approximately 10,000 genes.

A. True B. False

Cytoplasm 93. Which of the following is a semi-liquid that surrounds the chromosome and is contained within the plasma membrane? A. Eukaryotic cell membrane C. Macromolecular polymer-peptidoglycan B. Cytoplasm D. None of the above
Capsules 94. Some bacteria have a layer of material outside the? A. Capsule B. Cell wall C. Membrane/cytoplasmic membrane D. None of the above
95. Which of the following terms consist of complex sugars or polysaccharides combined with lipids and proteins? A. Capsule B. Cell wall C. Membrane/cytoplasmic membrane D. None of the above
Flagella 96. Amphitrichous bacteria-bacteria with A. One flagellum
97. Monotrichous bacteria-bacteria with A. One flagellum
98. Flagella arethat enable the bacteria to move. A. Forming spores
 99. Which term is motile while non-flagellated bacteria are generally non-motile? A. Bacteria C. Flagellated bacteria B. Peptidoglycan D. None of the above
 100. Peritrichous bacteria- possess? A. One flagellum B. A single polar flagellum C. Flagella over the entire surface D. None of the above
 101. Lophotrichous bacteria-possess at one or both ends? A. One flagellum C. Flagella over the entire surface B. Tuft of flagella D. None of the above
Pili or Fimbriae 102. Pili or Fimbriae allow the bacteria to attach to other bacteria or to membrane surfaces such as intestinal linings or? A. Chromosomes C. Pili or Fimbriae B. RBC D. None of the above
 103. Which of the following terms is used to transfer genetic material from one bacteria cell to another? A. Chromosomes B. RBC C. Pili or Fimbriae D. None of the above

Spores

104. Which of the following is enclosed in several protein coats that are resistant to heat, drying and most chemicals?

A. SporesB. Genetic materialC. Spore formationD. None of the above

Bacterial Nutrition

105. Which of the following is needed in substantial quantities, but some seem to need it in trace amounts?

A. Iron, Zinc, Cobalt C. Calcium

B. Nitrogen D. None of the above

Fastidious

106. Which of the following may synthesize every complex molecule they need from the basic minerals?

A. Viruses C. Centrioles

B. Bacteria D. None of the above

What in the World is an Eukaryote?

107. Which of the following terms represents animals, plants, and fungi, which are mostly multicellular, as well as various other groups called protists, many of which are unicellular?

A. Eukaryote(s)B. BacteriaC. Prokaryote(s)D. None of the above

108. The eukaryotes share a common origin, and are treated formally as a super kingdom, empire, or domain.

A. True B. False

Eukaryotic Cells

109. According to the text, Eukaryotic cells are generally much larger than ______, typically with a thousand times their volumes.

A. MacroorganismsB. BacteriaC. Prokaryote(s)D. None of the above

110. Many cells ingest food and other materials through a process of osmosis, where the outer membrane invaginates and then pinches off to form a Flagella.

A. True B. False

111. Which of the following is surrounded by a double membrane with pores that allow material to move in and out?

A. The nucleus C. Cilia

B. Flagella D. None of the above

Protozoan Reservoirs of Disease

112. Which of the following represents the causative organism of Legionnaires' disease?

A. Amoebae C. Bacterium Legionella pneumophila

B. Viruses D. None of the above

113. The presence of bacteria in the cytoplasm of protozoa is well known, whereas that of viruses is less frequently reported. Most of these reports simply record the presence of bacteria or viruses and assume some sort of symbiotic relationship between them and the Protozoa.

A. True B. False

 114. Which of the following were shown to not only survive but also to multiply in the cytoplasm of free-living, nonpathogenic protozoa? A. Human pathogens C. Freshwater protozoan B. Marine protozoa D. None of the above
115. Protozoa are the natural habitat for certain pathogenic bacteria.A. True B. False
Symbionts 116. Which of the following terms inhabit the rumen and reticulum of ruminates and the cecum and colon of equids? A. Ciliates C. Freshwater protozoan B. Marine protozoa D. None of the above
Data on Protozoa 117. Most ecologists who include in their studies of aquatic habitats do not identify them, even if they do count and measure them for biomass estimates. A. Protozoa
 118. Which of the following terms represents an organism of humans, domestic animals, and wildlife are better known although no attempt has been made to compile this information into a single source? A. Protozoa C. Parasitic protozoa B. Marine protozoa D. None of the above
Ecological Role of Protozoa 119. Which of the following terms represents an organism that is frequently overlooked, these play an important role in many communities where they occupy a range of trophic levels? A. Protozoa C. Parasitic protozoa B. Marine protozoa D. None of the above
120. According to the text, these are predators of unicellular or filamentous algae,, and microfungi, protozoa play a role both as herbivores and as consumers in the decomposer link of the food chain. A. Ciliates C. Freshwater protozoan B. Bacteria D. None of the above
121. The ecological role of Foraminifera in the transfer of bacterial and algal production to successive trophic levels is important. A. True B. False
Factors Affecting Growth and Distribution 122. Which of the following reproduce by cell division? A. Most free-living protozoa C. Zygotes B. Parasites D. None of the above
Protozoa 123. When protozoa are in the form of, they actively feed and grow. A. Cysts C. Apicomplexans B. Trophozoites D. None of the above

124. Which of the following play a role both as herbivores and as consumers in the decomposer link of the food chain? A. Protozoa C. Trophozoites and cysts B. Microinvertebrates D. None of the above
 125. Which of the following are an important food source for microinvertebrates? A. Meiofauna C. Microinvertebrates B. Protozoa D. None of the above
126. According to the text, the process by which the protozoa takes its cyst form is called encystation, while the process of transforming back into is called excystation. A. Cysts C. Apicomplexans B. Trophozoite D. None of the above
127. Protozoa occupy a range of trophic levels, as predators, they prey upon unicellular or filamentous algae, bacteria, and? A. Microfungi C. Trophozoites and cysts B. Parasites D. None of the above
128. Most protozoa exist in 5 stages of life which are in the form of A. Zygotes
129. Which of the following can survive harsh conditions, such as exposure to extreme temperatures and harmful chemicals, or long periods without access to nutrients, water, or oxygen for a period of time. A. Meiofauna C. Microinvertebrates B. Protozoa D. None of the above
130. An individual protozoan is? A. Apicomplexans C. Hermaphroditic B. Trophozoite D. None of the above
Classification 131. Protozoa were usually grouped in the kingdom of Protista together with the plant-like alga and fungus-like water molds and slime molds. In the 21st-century systematics, protozoans, along with ciliates, mastigophorans, and apicomplexans, are arranged as animal-like protists. A. True B. False
132. Protozoans are neither Animalia nor Metazoa. A. True B. False
Bacteriophage 133. Bacteriophages are much larger than the bacteria they destroy. A. True B. False
134. Phages are estimated to be the most widely distributed and diverse entities in th biosphere. A. True B. False

135. Phages are not usually the intestine of animals.A. True B. False	/ fou	und in all reservoirs populated by bacterial hosts, such as soil or
Amoebas 136. Pseudopods are used kind of prey and use differen A. Cells C. En B. Cytoplasma D. No	t?	apture prey; they simply engulf the food. They can detect the ing tactics of the above
•	e pe C.	
	ile _ C.	foraminifera and radiolaria common in marine environments areexist in greater numbers. Protozoan fauna None of the above
Environmental Quality Indi 139. Polluted waters often ha A. Microsporidia B. Testate amoebae	ave C.	a rich and characteristic? Protozoan fauna
Symbiotic Protozoa Parasites 140. Which term means a un A. Microsporidia B. Testate amoebae	C.	ne group of obligate, intracellular parasitic protozoa? Protozoan fauna None of the above
141. There are four different and_	t gei	nera of microsporidia (Encephalitozoon, Nosema, Pleistophora,
A. ForaminiferaB. Protozoan fauna		Enterocytozoon None of the above
is less frequently reported. A. Foraminifera	C.	Cytoplasm of protozoa
B. Protozoan fauna143. The presence of bacter		None of the above or viruses and assume some sort of symbiotic relationship
between them and the? A. Protozoa	C.	Free-living amoebae
B. Bacteria or viruses		None of the above
144. Some human pathoger cytoplasm of free-living?	าร พ	vere shown to not only survive but also to multiply in the
A. Beneficial symbionts B. Organisms		Nonpathogenic protozoa None of the above

145. To date, the fo	ocus of attent	ion has been	on the	, the causative
				produce in the cytoplasm of some
free-living amoebae	·-			
A. Free-living amoe	ebae C.	Bacterium Le	egionella pneur	nophila
B. Bacteria or virus		None of the		·
Symbionts				
	he text, whic	h of these cre	atures are harr	mless or even beneficial symbionts?
A. Protozoa			a pneumophila	
B. Viruses		of the above	z. p	
D. Vildoo	2	51 ti 10 di 50 10		
Contractile Vacuol	es			
			which collect a	and expel excess water, and
extrusomes, which				
A. Flagella		Vacuole or to		Touplate proy.
B. Contractile vacu		None of the	•	
D. Contractile vacu	ысэ <u></u> Б.	None of the t	30000	
148 In higher plant	s most of a	cell's volume	is taken un hv	a central vacuole or tonoplast,
which maintains its?		och 5 volume	is taken up by	a certifal vacacie of teriopiast,
A. Kinetosome or c		Osmotic pres	SSIIFA	
B. Vacuole or tonor		None of the		
D. Vacuole of torior	Jiast D.	None of the a	30006	
149 Which of the fo	ollowing have	slender moti	ile projections	usually called flagella when long
and cilia when short	•	Sicrido mod	ne projections,	asaany canca hagena when long
A. Eukaryote(s)		voto(c)		
B. Bacteria				
D. Dacteria	D. None	or the above		
150 Which bug/ere	ature/organi	em are entirel	v distinct from	prokaryotic flagella?
A. Eukaryote(s)	•		y distilled from	prokaryotic nagena:
B. Bacteria		of the above		
D. Dacteria	D. None	of the above		
151 Flagella also r	nav have hai	re or maetigo	nemes scales	connecting membranes, and
internal rods, their in				connecting membranes, and
A. Flagella			IC :	
B. Haptonema				
в. паркопента	D. None	or the above		
Centrioles				
	often preser	nt even in cells	e and aroune th	nat do not have flagella. They
microtubular roots.	roups or one	or two, called		that give rise to various
	antriala C	Depoticial	mahianta	
A. Kinetosome or c				
B. Kinetids	D.	None of the	above	
450 There forms				
153. These form a	primary com	ponent of the	II 4 - !	, and are often assembled over ed from the parent and the other
	ai ceii aivisioi	ns, with one ti	agellum retaine	a from the parent and the other
derived from it.				
A. Centrioles	•	eletal structur	e	
B. Haptonema	D. None	of the above		
454 140 1 50 5				
	ollowing may	also be asso	ciated in the fo	rmation of a spindle during nuclear
division?	0 0 : :	-1-4-1 ((
A. Centrioles	•	eletal structur	·e	
B. Haptonema	D. None	of the above		

the haptophytes, which A. Paramecium	wing produces axopodia that is used in flotation or to capture prey, and have a peculiar flagellum-like organelle called the haptonema? C. Radiolaria and heliozoa D. None of the above
A. Paramecium (wing are single-celled, freshwater organisms in the kingdom Protista? C. Prokaryote(s) D. None of the above
157. Paramecium exis environment is much lo A. Contractile vacuole B. Haptonema	s C. Cytoplasm
A. Life	to maintain, water must be continually pumped out rate at which it moves in. C. Homeostasis D. None of the above
	s carried out by two organelles in Paramecium known as? riole C. Contractile vacuoles st D. None of the above
Bacteriological Norganisms Descripto 160. Organo means A. Rock C. Light B. Organic D. None	t
161. Photo means A. Feed or nourish B. Other (Organic carb	C. Light pon) D. None of the above
162. Troph means A. Feed or nourish B. Other (Organic carb	C. Light pon) D. None of the above
163. Litho means A. Rock C. Ligh B. Organic D. None	t e of the above
	C. Self (Inorganic carbon) D. None of the above
165. Facultative mean A. Without air B. With air or without a	C. Self (Inorganic carbon)
	C. Self (Inorganic carbon) D. None of the above

167. Chemo means...

A. Rock C. Chemical

B. Organic D. None of the above

168. Hetero means...

A. Feed or nourish C. Light

B. Other (Organic carbon) D. None of the above

169. Anaerobic means...

A. Without airB. With airC. Self (Inorganic carbon)D. None of the above

Contaminants that may be present in sources of drinking water include:

170. Which of the following like salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming?

A. Radioactive contaminantsB. Pesticides and herbicidesC. Inorganic contaminantsD. Microbial contaminants

171. Which of the following may come from a variety of sources such as agriculture, urban stormwater run-off, and residential uses?

A. Radioactive contaminantsB. Pesticides and herbicidesC. Inorganic contaminantsD. Microbial contaminants

172. Which of the following, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife?

A. Microbial contaminantsB. Pesticides and herbicidesC. Inorganic contaminantsD. Organic contaminants

173. Which of the following can be synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can come from gas stations, urban stormwater run-off, and septic systems?

A. Organic chemical contaminantsB. Pesticides and herbicidesC. Inorganic contaminantsD. Microbial contaminants

174. Which of the following can be naturally occurring or be the result of oil and gas production and mining activities?

A. Radioactive contaminants
B. Pesticides and herbicides
C. Inorganic contaminants
D. Microbial contaminants

Background

175. Coliform bacteria and chlorine residual are the only routine sampling and monitoring requirements for small ground water systems with chlorination. The coliform bacteriological sampling is governed by the Coliform Reduction amendment of the SDWA.

A. True B. False

TCR

176. The TCR recommends most of the Public Water Systems (PWS) to monitor their distribution system for bacteria according to the written sample sitting plan for that system.

A. True B. False

177. The sample sitting plan identifies sampling frequency and locations throughout the distribution system that are selected to be representative of conditions in the entire system.

A. True B. False

178. Coliform contamination may occur anywhere in the system, possibly due to problems such as; high-pressure conditions, line fluctuations, or wells, and therefore routine monitoring is required.

A. True B. False

Routine Sampling Requirements

179. Total coliform samples must be collected by PWSs at sites which are representative of water quality throughout the distribution system according to a written sample siting plan subject to state review and revision.

A. True B. False

180. For PWSs collecting more than one sample per month, collect total coliform samples at regular intervals throughout the month, except that ground water systems serving 4,900 or fewer people may collect all required samples on a single day if the samples are taken from different sites.

A. True B. False

181. Each total coliform-positive (TC+) routine sample must be tested for the presence of heterotrophic bacteria.

A. True B. False

182. If any TC+ sample is also E. coli-positive (EC+), then the EC+ sample result must be reported to the state by the end of the month that the PWS is notified.

A. True B. False

183. If any routine sample is TC+, repeat samples are required. – PWSs on quarterly or annual monitoring must take a minimum of one additional routine samples (known as additional routine monitoring) the quarter following a TC+ routine or repeat sample.

A. True B. False

184. Reduced monitoring is general available for PWSs using only surface water and serving 1,000 or fewer persons that meet certain additional PWS criteria.

A. True B. False

Dangerous Waterborne Microbes

185. Which of the following is a parasite that enters lakes and rivers through sewage and animal waste. It causes cryptosporidiosis, a mild gastrointestinal disease. The disease can be severe or fatal for people with severely weakened immune systems.

A. Coliform Bacteria C. Giardia lamblia

B. Cryptosporidium D. None of the above

186. Which of the following are not necessarily agents of disease, fecal coliform bacteria may indicate the presence of disease-carrying organisms, which live in the same environment as the fecal coliform bacteria.

A. Fecal coliform bacteriaB. CryptosporidiumC. Shigella dysenteriaeD. None of the above

(S) Means the answer can be plural or singular in nature

187. Which of the following is a parasite that enters lakes and rivers through sewage and animal waste. It causes gastrointestinal illness (e.g. diarrhea, vomiting, and cramps)? A. Coliform Bacteria C. Protozoa B. Cryptosporidium D. None of the above 188. Which of the following is a species of the rod-shaped bacterial genus Shigella? A. Fecal coliform bacteria C. Shigella dysenteriae D. None of the above B. Cryptosporidium 189. Which of the following can cause bacillary dysentery? A. Fecal coliform bacteria C. Shigella D. None of the above B. Cryptosporidium 190. Which of the following are Gram-negative, non-spore-forming, facultatively anaerobic, non-motile bacteria? A. Fecal coliform bacteria C. Shigellae B. Cryptosporidium D. None of the above 191. Which of the following are microscopic organisms that live in the intestines of warmblooded animals? They also live in the waste material, or feces, excreted from the intestinal tract. When fecal coliform bacteria are present in high numbers in a water sample, it means that the water has received fecal matter from one source or another. A. Fecal coliform bacteria C. Shigella dysenteriae B. Cryptosporidium D. None of the above 192. Which of the following are common in the environment and are generally not harmful? However, the presence of these bacteria in drinking water are usually a result of a problem with the treatment system or the pipes which distribute water, and indicates that the water may be contaminated with germs that can cause disease. A. Coliform Bacteria C. Giardia lamblia B. Cryptosporidium D. None of the above 193. Which of the following are bacteria whose presence indicates that the water may be contaminated with human or animal wastes? Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. A. Fecal Coliform and E. coli C. Shigella dysenteriae B. Cryptosporidium D. None of the above **Bacteriological Monitoring Introduction** 194. Which of the following are usually harmless, occur in high densities in their natural environment and are easily cultured in relatively simple bacteriological media? A. Indicator bacteria C. Viruses B. Amoebas D. None of the above

195. Indicators in common use today for routine monitoring of drinking water include total coliforms, fecal coliforms, and?

A. Cryptosporidium C. Escherichia coli (E. coli)

B. Protozoa D. None of the above

196. According to the text, the routine microbiological analysis of your water is for?

A. Contamination C. Coliform bacteria
B. Colloids D. None of the above

Bacteria Sampling 197. Water samples f A. Amoebas B. Bacteria tests		_must always be collected in a sterile container.
sample results will be A. Colilert	test, a product marketed reported by the laborato C. Total coliform analys D. None of the above	as, is the most common. The ries as simply coliforms present or absent.
Environmental Protect Surface Water Treatment	tey regulations develo ction Agency (USEPA)	ped and implemented by the United States to counter pathogens in drinking water is the
system, using surface source, have sufficier coliform bacteria by at	water (or ground water	e provisions, the rule requires that a public water under the direct influence of surface water) as its the source water concentration of protozoa and %, respectively.
performance recomme and disinfectant conta	endations are met; they	suggests treatment criteria to assure that these may include turbidity limits, disinfectant residual
	•	e of sample you are collecting.
203. Samples collecte samples to be collecte collect. A. Repeat C. Rou	ed is based on the numb	resent routine sample. The number of repeat er of samples you normally
204. A PWS fails to ta A. Trigger: Level 1 As B. Trigger: Level 2 As	ssessment C. All of	at sample after any single TC+ sample the above of the above
205. A PWS incurs an A. Trigger: Level 1 As B. Trigger: Level 2 As		the above of the above
206. A PWS collecting samples in the same r A. Trigger: Level 1 As B. Trigger: Level 2 As	month. ssessment C. All of	s per month has 2 or more TC+ routine/ repeat the above of the above

- 207. A PWS collecting at least 40 samples per month has greater than 5.0 percent of the routine/repeat samples in the same month that are TC+.
- A. Trigger: Level 1 Assessment
- C. All of the above
- B. Trigger: Level 2 Assessment
- D. None of the above
- 208. A PWS has a second Level 1 Assessment within a rolling 12-month period.
- A. Trigger: Level 1 Assessment C. All of the above
- B. Trigger: Level 2 Assessment
- D. None of the above
- 209. A PWS on state-approved annual monitoring has a Level 1 Assessment trigger in 2 consecutive years.
- A. Trigger: Level 1 Assessment
- C. All of the above
- B. Trigger: Level 2 Assessment
- D. None of the above
- 210. Noncommunity and nontransient noncommunity public water systems will sample at the same frequency as a like sized community public water system if:
- 1. It has more than 1,000 daily population and has ground water as a source, or
- 2. It serves 25 or more daily population and utilizes surface water as a source or ground water under the direct influence of surface water as its source.
- A. True
- B. False

Maximum Contaminant Levels (MCLs)

- 211. There are two types of MCL violations for coliform bacteria. The first is for total coliform; the second is an acute risk to health violation characterized by the confirmed presence of fecal coliform or E. coli.
- A. True
- B. False

Positive or Coliform Present Results

- 212. If you are notified of a positive coliform test result you need to contact either the Drinking Water Program or your local county health department within 72 hours, or by the next business day after the MCL compliance violation
- A. True
- B. False
- 213. With a positive total coliform sample, after you have contacted an agency for assistance, you will be instructed as to the proper repeat sampling procedures and possible corrective measures for solving the problem. It is very important to initiate the corrective measures will be based on those results.
- A. Perform routine procedures
- C. Corrective measures
- B. Repeat sampling immediately
- D. None of the above

Heterotrophic Plate Count HPC

- 214. Heterotrophic Plate Count (HPC) --- formerly known as the Bac-T plate, is a procedure for estimating the number of live heterotrophic bacteria and measuring changes during water treatment and distribution in water or in swimming pools.
- A. True
- B. False

Heterotrophic Plate Count (Spread Plate Method)

- 215. Which of the following provides a technique to quantify the bacteriological activity of a sample?
- A. Colonies C. Heterotrophic Plate Count
- B. Agar
- D. None of the above
- (S) Means the answer can be plural or singular in nature

Total Coliforms 216. This MCL is based on the presence of total coliforms, and compliance is on a daily or weekly basis, depending on your water system type and state rule. A. True B. False
217. For systems which collect fewer than samples per month, no more than one sample per month may be positive. In other words, the second positive result (repeat or routine) in a month or quarter results in a MCL violation. A. 40
The following are acute violations: 218. Which determines a violation of nitrate? A. Presence C. MCLG B. MCL D. None of the above
Revised Total Coliform Rule (RTCR) Summary 219. EPA published the Revised Total Coliform Rule (RTCR) in the Federal Register (FR) on February 13, 2013 (78 FR 10269). It is the revision to the 1989 Total Coliform Rule (TCR). A. True B. False
220. The RTCR upholds the purpose of the 1989 TCR to protect public health by ensuring the duplicity of the drinking water distribution system and monitoring for the absence of microbial contamination. A. True B. False
221. The RTCR establishes criteria for systems to qualify for and stay on for special increased monitoring, which could reduce water system problems for better system operation. A. True B. False
222. The water provider shall develop and follow a sample-siting plan that designates the PWS's collection schedule. This includes location of A. Routine and repeat water samples C. Microbial contamination B. Reduced monitoring D. Repeat water samples
223. The water provider shall collect on a regular basis (monthly, quarterly, annually). Have samples tested for the presence of total coliforms by a state certified laboratory. A. Routine water samples
224. PN is required for violations incurred. Within required timeframes, the PWS must use the required health effects language and notify the public if they did not comply with certain requirements of the RTCR. The type of depends on the severity of the violation. A. CCR(s) C. MCL violation B. PN D. TC+ routine or repeat sample
225. The RTCR requires public water systems that are vulnerable to microbial contamination to identify and fix problems.A. TrueB. False

226. The water provider shall collect repeat samples (at least 3) for each TC+ positive routine sample.A. TrueB. False
227. For PWSs on quarterly or annual routine sampling, collect additional routine samples (at least 3) in the month after a A. CCR(s) C. Total coliform positive samples B. PN D. TC+ routine or repeat sample
228. PWSs incur violations if they do not comply with the requirements of the RTCR. The violation types are essentially the same as under the TCR with few changes. The biggest change is no acute or monthly MCL violation foronly. A. CCR(s) C. Total coliform positive samples B. PN D. TC+ routine or repeat sample
229. Community water systems (CWSs) must use specific language in their CCRs when they must conduct an assessment or if they incur A. CCR(s) C. An E. coli MCL violation B. PN D. TC+ routine or repeat sample
230. The water provider shall analyze all that are total coliform positive (TC+) for E. coli. A. Routine or repeat water samples C. Microbial contamination B. Reduced monitoring D. Repeat water samples
231. The RTCR requires public water systems (PWSs) to meet a legal limit for E. coli, as demonstrated by required monitoring. A. True B. False
232. The RTCR suggests the frequency and timing of required microbial testing based on, public water type and source water type. A. True B. False
Disinfection Key 233. The RTCR requires 99.99% or 4 log inactivation of A. Enteric viruses C. Giardia lamblia cysts B. Crypto D. None of the above
234. The RTCR requires 99% or 2 log inactivation of A. Enteric viruses
235. The RTCR requires 99.9% or 3 log inactivation of A. Enteric viruses C. Giardia lamblia cysts B. Crypto D. None of the above
236. The RTCR requires the chlorine residual leaving the plant must be = or mg/L and measurable throughout the system. A. > 0.2 C. 0.2 B. 2.0 D. None of the above

Waterborne Pathogen Section Pathogen Section 237. Most pathogens are generally associated with diseases thatand affect people in a relatively short amount of time, generally a few days to two weeks. A. Cause intestinal illness
How Diseases are Transmitted. 238. Waterborne pathogens are primarily spread by the? A. Fecal-oral, or feces-to-mouth route B. Dermal to fecal route D. None of the above
Protozoan Caused Diseases 239. Which of the following bugs is larger than bacteria and viruses but still microscopic; they invade and inhabit the gastrointestinal tract? A. Hepatitis A
 240. Some of the parasites enter the environment in a dormant form, with a protective cell wall, called a? A. Lamblia C. Cyst B. Shell D. None of the above
Giardia lamblia 241. Which of the following bugs has been responsible for more community-wide outbreaks of disease in the U.S. than any other, and drug treatment are not 100% effective? A. Giardia lamblia C. Giardiasis B. Cryptosporidiosis D. None of the above
242. All of these diseases, with the exception of, have one symptom in common: diarrhea. They also have the same mode of transmission, fecal-oral, whether through person-to-person or animal-to-person contact. A. HIV infection
Primary Waterborne Diseases Section 243. Humans are the reservoir for the Salmonella typhi pathogen, which causes diarrhea illness, and also known as? A. Campylobacter C. Typhoid fever B. Shigella dysenteriae D. None of the above
244. Vibrio cholerae, the basics. It's a virus. It causes diarrheal illness, also known as cholera It is typically associated with aquatic environments, shell stocks, and human. Vibrio cholerae has also been associated with ship ballast water. A. True B. False
245. Legionnaire's disease, which causes a severe pneumonia, and the second, which is a non-pneumonia illness; it's typically an influenza-like illness, and it's less severe.

A. Pontiac feverB. Yellow fever

C. Typhoid feverD. None of the above

maintained betweendegrees Centigrade.
A. 81 to 100 C. 71 and 77 B. 110 to 210 D. None of the above
B. 110 to 210 D. None of the above
247. Shigella species, in the United States two-thirds of the shigellosis in the U.S. is caused by Shigella dysenteriae and the remaining one-third is caused by Shigella Campylobacter. A. True B. False
248. Campylobacter, the basics. It's a bacterium. It causes diarrheal illness.A. True B. False
249. Campylobacter is primarily associated with poultry, animals, and humans.A. True B. False
 250. Which of the following is typically associated with soil and water? A. Hepatitis A virus C. Pseudomonas B. Legionella D. None of the above
251. Hepatitis A virus is resistant to combined chlorines, so it is important to have an adequate free chlorine residual. Fecal matter can shield Hepatitis A virus from chlorine. A. True B. False
252. Humans are the reservoir for the Norovirus. Prevention strategies for this pathogen include?A. Internal protectionC. Containment protection
B. Source protection D. None of the above
253. Cryptosporidium is typically associated with animals and humans, and it can be acquired through consuming fecally contaminated food, contact with fecally contaminated soil and water. A. True B. False
254. Cryptosporidium, prevention. Prevention strategies for this pathogen include source protection. A CT value of 50 is required when dealing with fecally accidents. CT equals a concentration, in parts per million, while time equals a contact time in minutes. A. True B. False
255. Giardia prevention strategies for this pathogen include; filtration, coagulation, and halogenation of drinking water. A. Internal protection C. Containment protection B. Source protection D. None of the above
Waterborne Bacterial Diseases 256. Campylobacteriosis outbreaks have most often been associated with food, especially chicken and un-pasteurized milk, as well as un-chlorinated water. These organisms are also an important cause of "travelers' diarrhea." Medical treatment generally is not prescribed for campylobacteriosis because recovery is usually rapid. A. True B. False
257. Cholera, Legionellosis, salmonellosis, shigellosis, yersiniosis, are other bacterial diseases that can be transmitted through water. All bacteria in water are readily killed or inactivated with chlorine or other disinfectants.

Legionella, prevention. Legionella in water systems. Hot water in tanks should be

B. False

A. True

246.

258. Campylobacteriosis is the most common diarrheal illness caused by bacteria. Other symptoms include abdominal pain, malaise, fever, nausea and vomiting; and begin three to five days after exposure. The illness is frequently over within two to five days and usually lasts no more than 10 days. A. True B. False
Viruses - Coronavirus 259. It looks like the COVID-19 coronavirus is not able to live in water. A. True B. False
Chain of Custody Procedures 260. If both parties involved in the transfer must sign, date and note the time on the chain of custody record, this is known as? A. TC Plan C. Samples transfer possession B. Sample siting plan D. None of the above
261. The recipient will then attach theshowing the transfer dates and times to the custody sheets. If the samples are split and sent to more than one laboratory, prepare a separate chain of custody record for each sample. A. Shipping invoices
Factors in Chlorine Disinfection: Concentration and Contact Time 262. Based on the work of several researchers, CXT values [final free chlorine concentration (mg/L) multiplied by minimum contact time (minutes)], offer water operators guidance in computing an effective combination of chlorine concentration and required to achieve disinfection of water at a given temperature. A. Chlorine concentration C. Higher strength chlorine solutions
B. Chlorine contact time D. None of the above 263. The CXT formula demonstrates that if an operator chooses to decrease the chlorine concentration, the required must be lengthened. A. Chlorine concentration C. Contact time D. None of the above
264. As are used, contact times may be reduced. A. Chlorine concentration C. Higher strength chlorine solutions B. Temperature D. None of the above
Escherichia Coli Section Fecal Coliform Bacteria 265. Fecal Coliform Bacteria live in the waste material, or feces, excreted from the intestinal tract. When fecal coliform bacteria are present in high numbers in a water sample, it means that the water has received from one source or another. A. Bacteria levels C. Enrichment concentrations B. Fecal matter D. None of the above
266. Although not necessarily agents of disease, may indicate the presence of disease-carrying organisms, which live in the same environment as the fecal coliform bacteria. A. Paramecium C. Fecal coliform bacteria B. Bacteria D. None of the above

267. Which of the following is		ependent on specific conditions for growth, and these conditions
change quickly, fecal coliform	า ba	acteria counts are not easy to predict?
A. Fecal matterB. Fecal coliform bacteria		
B. Fecal collionii bacteria	υ.	None of the above
268. Winter rains may wash	mo	re from urban areas into a stream; cool water
temperatures may cause a m	ıajo	r die-off.
A. Fecal matterB. Fecal coliform bacteria	C.	Bacterial concentrations
D. Fecal collionii bacteria	D.	Notice of the above
Expected Impact of Pollution	on	
269. The primary sources of		to fresh water are wastewater treatment plant
discharges, failing septic syst A. Bacteria levels		
B. New sources of bacteria		
2. Tron council or pastona		
		essarily decrease as a watershed develops from rural to urban.
Instead, urbanization usually		nerates? Fecal coliform bacteria concentrations
B. New sources of bacteria		
		septic systems are replaced by domestic pets and leaking
	nwa	ater runoff in urbanized areas has been found to be surprisingly
high in? A Racteria levels	C	Fecal coliform bacteria concentrations
B. New sources of bacteria		
Indicator Connection Varies		and Entergoggue hasteria are the "
		and Enterococcus bacteria are the "" o assess microbiological quality of water.
A. Pathogens		• • •
B. Fecal coliforms	D.	None of the above
E. coli O157:H7	<i>5</i> 7.	U7 (hostorium) vary with two soused
A. Gastroenteritis C. E. co		H7 (bacterium) vary with type caused
		of the above
		n emerging cause of foodborne illness?
A. Shigella dysenteriaeB. Most illnesses		None of the above
B. Most illiesses	υ.	Notice of the above
	nave	e been associated with eating undercooked, contaminated
ground beef?	_	- "04
A. Shigella dysenteriaeB. Most illnesses		E. coli O157:H7 None of the above
D. MOSE IIII 163363	υ.	INDIC OF THE ADDAE

276. Which term is used to express that in families and childcare centers are an important mode of transmission and that infection can also occur after drinking raw milk and after swimming in or drinking sewage-contaminated water? A. Preventive measures C. A cause of illness B. Person-to-person contact D. None of the above
277. Consumers can prevent infection by thoroughly cooking ground beef, avoiding unpasteurized milk, and washing hands carefully. A. Shigella dysenteriae
What is Escherichia coli O157:H7? 278. Systems serving 25 to 1,000 people typically take one sample per month. Some states reduce this frequency to quarterly for ground water systems if a recent sanitary survey shows that the system is free of sanitary defects. A. True B. False
279. Larger types of systems can qualify for five samples a month.A. True B. False
280. Systems using surface water, rather than ground water, are required to take extra steps to protect against bacterial contamination because surface water sources are more vulnerable to such contamination. A. True B. False
281. Which of the following is a normal occupant of the intestines of all animals, including humans? A. Shigella dysenteriae B. E. coli O157:H7 D. None of the above
282. Under the Safe Drinking Water Act, the EPA requires public water systems to monitor for ? A. Indicators C. Coliform bacteria B. Five samples a month D. None of the above
283. Systems analyze first for total coliform, any time that a sample is positive for total coliform, the same sample must be analyzed for either A. Total coliform C. Fecal coliform or E. coli B. Sanitary survey D. None of the above
284. Smaller systems must take at least five samples a month unless the state has conducted a sanitary survey – a survey in which a state inspector examines system components and ensures they will protect public health – at the system within the last five years. A. True B. False
285. E. coli O157:H7 is one of hundreds of strains of the Enterococcus bacteria. A. True B. False
286. E. coli O157:H7 was first recognized as a cause of illness in 1982 during an outbreak of severe bloody diarrhea; the outbreak was traced to contaminated hamburgers. Since then, most infections have come from eating undercooked ground beef. A. True B. False

287. The combination of letters and numbers in the name of the bacterium refers to the specific markers found on its surface and distinguishes it from other types of E. coli. A. True B. False
288. Currently, there are four recognized classes of (collectively referred to as the EEC group) that cause gastroenteritis in humans. A. Total coliform C. Fecal coliform or E. coli B. Enterovirulent E. coli D. None of the above
How is E. coli O157:H7 spread? 289. The can be found on a small number of cattle farms and can live in the intestines of healthy cattle. Meat can become contaminated during slaughter, and organisms can be thoroughly mixed into beef when it is ground. A. Organism(s) C. Hemorrhagic colitis B. Bacteria D. None of the above
Giardiasis Giardia lamblia Section 290. According to the text, Giardia lamblia (intestinalis) is a single celled animal, i.e., a protozoa, that moves with the aid of five flagella. In Europe, it is sometimes referred to as? A. Lambia intestines C. Lamblia intestinalis D. None of the above
291. Giardiasis is the most frequent cause of non-bacterial diarrhea in North America. Giardia duodenalis, cause of giardiasis, is a one-celled, Microscopic parasite that can live in the intestines of animals and people. A. True B. False
292. Giardia is found in every region throughout the world and has become recognized as one of the most common causes of waterborne (and occasionally foodborne) illness often referred to as "Beaver Fever." A. True B. False
293. Approximately one week after ingestion of the, prolonged, greasy diarrhea, gas, stomach cramps, fatigue, and weight loss begin. A. Intestinal flora
294. Giardiasis disease runs its course in a week or two, although in some cases, the disease may linger for months, causing severe illness and weight loss. Nonetheless, the basic biology of thisincluding how it ravages the digestive tractis poorly understood. A. Intestinal flora C. Parasite B. Giardia cysts D. None of the above
295. Which of the following uses these mitosomes in the maturation of iron-sulfur proteins rather than in ATP synthesis as is the case in mitochondria-possessing eukaryotes? A. Intestinal flora C. Microaerophilic Giardia B. Giardia cysts D. None of the above
Nature of Disease 296. Which of the following may involve diarrhea within 1 week of ingestion of the cyst, which is the environmental survival form and infective stage of the organism? A. Human giardiasis C. Immune deficiencies B. The disease mechanism D. None of the above

	th definedand those without, are difficult to
treat. A. Human giardiasis B. The disease mechanism	C. Immune deficiencies D. None of the above
298. Which of the following is un produces a toxin while others are u A. Human giardiasis B. The disease mechanism	
	absorptive surface of the intestine has been proposed as a as has a synergistic relationship with some of the intestinal
B. Mechanical obstruction D. No	
	een isolated and described through analysis of their proteins s not consistently associated with disease severity? C. Human giardiasis D. None of the above
	rarious degrees of symptoms when infected with the same vidual may vary during the C. Immune deficiencies D. None of the above
(active reproducing form) or the cys	diagnosed by visualizing the organism, either the trophozoite at (the resting stage that is resistant to adverse environmental or unstained wet mounts with the aid of a microscope.
303. Which of the following terms also available?	that detects excretory secretory products of the organism is
	ne linked immunosorbant assay (ELISA) he above
individuals seem to have a lasting i A. Infective cysts C. G	•
and may be present asymptomatic the population.	is implicated in 25% of the cases of gastrointestinal disease cally, the overall incidence of infection is estimated at 2% of
,	iardiasis one of the above

306. Which of the following terms appear to be common with infants and is not usually associated with water but is related to child care and diaper changing hygiene procedures.

A. Infective cysts

C. Intestinal flora

B. Acute outbreaks

D. None of the above

307. Which of the following terms in immunodeficient and normal individuals are frequently refractile to drug treatment?

A. Infective cysts

C. Chronic cases of giardiasis

B. Giardiasis

D. None of the above

Target Populations

308. Chronic symptomatic giardiasis is more common in adults than children are.

A. True

B. False

Cryptosporidiosis Section

309. Until 1993, when over 400,000 people in Milwaukee became ill with diarrhea after drinking water contaminated with the parasite, few people had heard of Cryptosporidium parvum, or the disease it causes, cryptosporidiosis.

A. True

B. False

310. Transmission is also common from ingestion of food or water contaminated with stool, including water in the recreational water park and swimming pool settings.

A. True

B. False

311. Persons at increased risk for contracting cryptosporidiosis include child care workers; diaper-aged children who attend child care centers; persons exposed to human feces by sexual contact; and caregivers who might come in direct contact with feces while caring for a person infected with cryptosporidiosis.

A. True

B. False

312. Transmission is by an oral-fecal route, including hand contact with the stool of infected humans or animals or with objects contaminated with stool.

A. True

B. False

Cholera - Vibrio cholerae Section

313. Cholera, which is derived from a Greek term meaning "Running to the bathroom," is caused by Vibrio cholerae and is the most feared epidemic diarrheal disease because of its severity. Dehydration and death can occur within a matter of minutes of infection.

A. True

B. False

314. In 1883, Louis Pasteur discovered V cholerae during a cholera outbreak in Egypt.

A. True

B. False

315. Cholera has been very common in industrialized nations for the last 100 years.

A. True

B. False

316. Cholera is always life-threatening, it is easily prevented and treated with chloramines.

A. True

B. False

317. In the United States, because of advanced water and sanitation systems, cholera is not a major threat; however, everyone, especially travelers, should be aware of how the disease is transmitted and what can be done to prevent it.

A. True

B. False

cholerae bacterium. T improper sanitation or A. True B. Fals	by eating i		• • •	•	•		•	er con	tamina	ated by
319. The therefore are of no use A. Serotypes	in disting		strains ca				•	water	· vibri	os and
B. Flagellar antigens				⁄e						
320. O antigens,	however,	do di	stinguish	strains	of	V.	cholerae	into	139	known
	•									

318. Cholera (also called Asiatic flu) is a disease of the respiratory tract caused by the Vibrio

A. Serotypes C. Bacterium

B. Flagellar antigens D. None of the above

Related Diseases and Associated Illnesses Section

Amebic Meningoencephalitis PAM Section Naegleria fowleri

321. Primary Amebic Meningoencephalitis (PAM) is a common and usually deadly disease caused by infection with the ameba (a multi-celled organism that maintains the original shape).

A. True B. False

322. Following an incubation period of 2-15 days, there is a relatively sudden start of severe meningitis-like symptoms, which begin with fever and headache. These are rapidly followed by sensitivity to light, nausea, projectile vomiting, stiff neck, and, in many cases, disturbances to taste and smell. Changes in behavior and seizures may also be present. As conditions worsen the patient falls into a coma. Death usually occurs 3-7 days after the onset of symptoms.

A True B False

323. The ameba that causes the infection lives in soil and in freshwater ponds, lakes, rivers, poorly or non-chlorinated pools, discharge or holding basins, and hot springs throughout the world. Naegleria thrives in warm, stagnant bodies of fresh water when temperatures are high, usually above 80 degrees.

A. True B. False

324. Although the ameba is commonly found in the environment, PAM is very rare. In the last 30 years, only a few hundred cases have been reported worldwide.

A. True B. False

325. The ameba is believed to enter the body through the mouth and travel to the stomach. The disease is easily spread from person to person.

A. True B. False

Noroviruses Section

326. Noroviruses (genus Norovirus, family Caliciviridae) are a group of related, single-stranded RNA, nonenveloped viruses that cause acute gastroenteritis in humans. Norovirus was recently approved as the official genus name for the group of viruses provisionally described as "Norwalk-like viruses" (NLV).

A. True B. False

327. The symptoms of norovirus illness usually include nausea, vomiting, diarrhea, and some stomach cramping. Sometimes people additionally have a low-grade fever, chills, headache, muscle aches, and a general sense of tiredness. The illness often begins suddenly, and the infected person may feel very sick. The illness is usually brief, with symptoms lasting only about 1 or 2 days. In general, children experience more vomiting than adults. Most people with norovirus illness have both of these symptoms.

A. True B. False

328. Persons who are infected with norovirus should not prepare food while they have symptoms and for 3 weeks after they recover from their illness. Food that may have been contaminated by an ill person can be eaten.

A. True B. False

329. Illness caused by norovirus infection has several names, including stomach flu – this "stomach flu" is **not** related to the flu (or influenza), which is a respiratory illness caused by influenza virus.

A. True B. False

330. Noroviruses are found in the stool or vomit of infected people. People can become infected with the virus in several ways, including eating food or drinking liquids that are contaminated with norovirus; touching surfaces or objects contaminated with norovirus, and then placing their hand in their mouth; having direct contact with another person who is infected and showing symptoms (for example, when caring for someone with illness, or sharing foods or eating utensils with someone who is ill).

A. True B. False

331. Persons working in day-care centers or nursing homes should pay special attention to children or residents who have norovirus illness. This virus is very contagious and can spread rapidly throughout such environments.

A. True B. False

Water Laboratory Analysis Section

pH Testing Section

332. When an atom loses _____ and thus has more protons than electrons, the atom is a positively-charged ion or cation.

A. A proton

C. An electron

B. Charge

D. None of the above

333. Measurement of pH for aqueous solutions can be done with a glass electrode and a pH meter, or using indicators like strip test paper.

A. True B. False

334. In chemistry, pH is a measure of the acidity or basicity of an aqueous solution. Solutions with a pH greater than 7 are said to be acidic and solutions with a pH less than 7 are basic or alkaline.

A. True B. False

335. Pure water has a pH very close to?

A. 7 C. 7.7

B. 7.5 D. None of the above

336 are determined using a concentration cell with transference, by measuring the potential difference between a hydrogen electrode and a standard electrode such as the silver chloride electrode. A. Primary pH standard values C. pH measurement(s) B. Alkalinity D. None of the above
337. Mathematically, pH is the negative logarithm of the activity of the (solvated) hydronium ion, more often expressed as the measure of the? A. Electron concentration C. Hydronium ion concentration B. Alkalinity concentration D. None of the above
 338. Which of the following terms for aqueous solutions can be done with a glass electrode and a pH meter, or using indicators? A. Primary sampling B. Measurement of pH C. Determining values D. None of the above
 339. The pH scale is logarithmic and therefore pH is? A. An universal indicator C. An excess of alkaline earth metal concentrations B. A dimensionless quantity D. None of the above
340. Measuring alkalinity is important in determining a stream's ability to neutralize acidic pollution from rainfall or wastewater. It is one of the best measures of the sensitivity of the stream to acid inputs. There can be long-term changes in the of rivers and streams in response to human disturbances. A. Acid C. pH measurement(s) B. Alkalinity D. None of the above
341. pH is defined as the decimal logarithm of the reciprocal of the, a _H +, in a solution. A. Hydrogen ion activity C. Brønsted–Lowry acid–base theory D. None of the above
342. Which of the following terms may be used to measure pH, by making use of the fact that their color changes with pH? A. Indicators C. A set of non-linear simultaneous equations B. Spectrophotometer D. None of the above
343. Alkalinity is the name given to the quantitative capacity of an aqueous solution to neutralize an? A. Acid C. Bond formation B. Base D. None of the above
344. Which of the following terms of the color of a test solution with a standard color chart provides a means to measure pH accurate to the nearest whole number? A. Universal indicator C. Visual comparison B. Colorwheel measurement D. None of the above
345. Alkalinity of water is its acid-neutralizing capacity. It is the sum of all the titratable bases. The measured value may vary significantly with the? A. End-point pH C. pH measurement(s) B. Alkalinity D. None of the above

The pH of a solution containing a weak acid requires the solution of a quadratic equation. The pH of a solution containing a weak base may require the? A. Solution of a cubic equation C. Excess of alkaline earth metal concentrations B. Non-linear simultaneous equations D. None of the above
347. Alkalinity is a measure of this missing term and can be interpreted in terms of specific substances only when the chemical composition of the sample is known. A. Universal indicator C. Excess of alkaline earth metal concentrations B. An aggregate property of water D. None of the above
348. Alkalinity in excess of which term is significant in determining the suitability of water for irrigation? A. 8 C. Alkaline earth metal concentrations B. pH of 7 D. None of the above
349. The calculation of the pH of a solution containing acids and/or bases is an example of a calculation, that is, a mathematical procedure for calculating the concentrations of all chemical species that are present in the solution A. Chemical speciation C. Visual comparison B. Spectrophotometer D. None of the above
350. Since pH is a logarithmic scale, a difference of one pH unit is equivalent todifference in hydrogen ion concentration A. 1 C. 10 B1 D. None of the above
351. Which of the following terms measurements is used in the interpretation and control of water and wastewater treatment processes? A. Acid C. Hydrogen bond formation B. Alkalinity D. None of the above
352. Which of the following terms are compounds that, for practical purposes, are completely dissociated in water. A. Strong acids and bases C. Strong bases and weak acids B. Chemical ions in chains D. None of the above
353. The pH of a solution containing a may require the solution of a cubic equation. A. Strong acids and bases C. Weak base B. Strong base D. None of the above
354. Sodium hydroxide, NaOH, is an example of a? A. Weak base C. Strong acid B. Strong base D. None of the above

Turbidity Testing Sub-Section

These QA/QC questions ensure that you have read the questions. These questions may seem to be repeats, but are necessary for your comprehension and evaluation.

355. Turbidity is measured to	o evaluate the performance of
A. Water treatment plant(s)	C. Colloidal to coarse dispersions
B. An aesthetic point	D. None of the above
·	
356. Turbidity is caused by v	vide variety of suspended matter that range in size from colloidal to
coarse dispersions, depend	ling upon the, and ranges from pure
inorganic substances to those	e that are highly organic in nature.
A. Water treatment plant(s)	
B. An aesthetic point	D. None of the above
·	
357. Turbid waters are undes	sirable from of view in drinking water supplies.
A. Water treatment plant(s)	C. Colloidal to coarse dispersions
B. An aesthetic point	
Surface Water (SW) System	
358. Sample theA. Individual filter effluent	at the clear well
A. Individual filter effluent	C. Combined filter turbidity
B. 95% of samples	D. None of the above
359. 0.34 NTU in	, never to exceed 1.0 NTU spike
A. Individual filter effluent	C. Combined filter turbidity
B. 95% of samples	never to exceed 1.0 NTU spike C. Combined filter turbidity D. None of the above
360. Sample turbidity at each	h
A. Individual filter effluent	
B. 95% of samples	D. None of the above
Disinfection Key	
361. 99.9% or 3 log inactivat	ion of
A. Crypto C. Gia B. Enteric viruses D. Nor	rdia lamblia cysts
B. Enteric viruses D. No	ne of the above
	ation of
A. Crypto C. Gia	
B. Enteric viruses D. No	ne of the above
363. 99% or 2 log inactivation	
A. Crypto C. Gia	ırdia lamblia cysts
B. Enteric viruses D. No	ne of the above
	aving the plant must be = or and measurable
throughout the system.	
A. > 0.2 C. < 0.2	
B. ≤ 0.2 D. None of the	e above
Troubidite Mass	
Turbidity Key	specification and its simple properties and in acceptance
	easured in mg/L and its size is measured in multimeters.
A. True B. False	

366. Turbidity can be particles in the water consisting of finely divided solids, larger than bacteria, visible by the naked eye; ranging in size from 10 to 150mm.

A. True B. False

Cloudy Water

367. In order to have gravity affect these particles, we must somehow make them larger, somehow have them come together (agglomerate); in other words, somehow make them "stick" together, thereby increasing their size and mass.

A. True B. False

Method 1623 - Cryptosporidium and Giardia Analysis

368. Special sterilization procedures are needed for equipment used in the collection of samples for?

A. Total OrganismsB. Cryptosporidium and GiardiaC. Indicator bugsD. None of the above

369. Washing the equipment free of residual sodium hypochlorite solution with three rinses of filter-sterilized water; do not de-chlorinate the equipment using?

A. Sodium thiosulfate C. Sodium hypochlorite solution

B. Sulfuric acid D. None of the above

370. According to the text, composite the sample in a 10-L cubitainer that is pre-sterilized by the manufacturer. The cubitainer is sent in a cardboard box to laboratory for analysis.

A. Cryptosporidium C. Cholera, polio, typhoid, hepatitis

B. Indicator organisms D. None of the above

Cryptosporidium and Giardia Analysis

371. For Cryptosporidium and Giardia analysis by Method 1623 (U.S. Environmental Protection Agency, 1999c), collect 10 L of streamwater for each protozoan pathogen using standard sampling techniques described in Myers and Sylvester (1997). Special sterilization procedures are needed for equipment used in the collection of samples for Cholera, polio, typhoid, hepatitis. Autoclaving is not effective in neutralizing the epitopes on the surfaces of the oocysts and cysts that will react with the antibodies used for detection.

A. True B. False

372. Submerge the equipment in a vessel containing 12 percent hypochlorite solution for 30 minutes. Wash the equipment free of residual sodium thiosulfate solution with three rinses of filter-sterilized water; do not de-chlorinate the equipment using Dibromochloromethane.

A. True B. False

373. Composite the sample in a 10-L cubitainer that is pre-sterilized by the manufacturer. The cubitainer is sent in a cardboard box to laboratory for Cholera, polio, typhoid, hepatitis analysis. The sample does not have to be kept on ice during transport.

A. True B. False

Virions

374. Which of the following is a complete functional virus that has the capacity to infect living tissue?

A. A virion C. Myovirus bacteriophages

B. Phage's host range D. None of the above

	s that will make them infectious even though theis
A. Podoviruses	C. Genetic material
B. Viral genome	D. None of the above
376. According to the text, single or double stranded, nu A. Either DNA or RNA B. Phage's host range	biomolecules found in virions: genetic material,, icleoprotein capsid. C. Phage lambda of E. coli D. None of the above
Laboratory Analysis Sample Procedures 377 Samples need to be	kept on ice and shipped to a central laboratory for analysis of
coliphage, C. perfringens, Cr methods. The single-agar la ampicillin is recommended	yptosporidium, Giardia, and enteric viruses by the current analytical yer (SAL), direct plating method with induction of streptomycin and for detection of somatic and F-specific coliphage in streamwater
samples. A. True B. False	
culture, chemicals that ind	nL sample volumes are mixed with an agar medium, E. coli host uce the streptomycin and ampicillin enzymes, and appropriate poured into four 150- x 15-mm plates and incubated at 35°C.
	nage in the water sample, the E. coli host cells are lysed and dark blue is visible within each plaque.
contamination by naturally oculture strains, E. coli CN-	y identified and enumerated by the distinct blue circle. Because of ccurring bacteria in streamwater samples, antibiotic- resistant host-13 (resistant to nalidixic acid) and E. Coli F-amp (resistant to n) are used as hosts for somatic and F-specific coliphage,
381. Large sample volumes coliphage in ground water. A. True B. False	such as 1-L volumes or greater, are recommended for detection of
382. Standard MF techniqu hours at 44.5°C. A. Oocyst(s) C. Larg B. The plates D. Nor	es are used, and are incubated anaerobically for 24 ge sample volumes ne of the above
	olates are exposed to ammonium hydroxide, and all straw-colored magenta are counted as C. C. perfringens D. None of the above

detection of Cryptosporidium oocyst on a capsule filter from a 10-L was	nmental Protection Agency, 1999c) is recommended for s and Giardia cysts in water. The oocysts are concentrated ter sample, eluted from the capsule filter with buffer, and munomagnetic separation (IMS) is used to separate the e sample.				
	are magnetized by attachment of magnetic beads are separated from sediment and debris by means of a				
-	idium oocysts and Giardia cysts e above				
387. Fluorescently labeled antibodi identification of? A. Enteric virus(es) C. Oocysts an B. Oocyst(s) D. None of the					
388. To prepare samples for RT-PC filter with beef extract (pH 9.5), cophosphate (pH 9.5). A. Oocyst(s) C. Attached vii B. C. perfringens D. None of the					
QA/QC Activities and Measures 389. QA/QC activities and measures to take to reduce contamination. Use a sterilization indicator, such as autoclave tape, in preparing Viral plaques and other equipment for collection of microbiological samples to determine whether adequate temperatures and pressures have been attained during autoclaving. A. True B. False					
390. Prepare a separate set of E. coli host cultures for microbiological sampling at each site. A. True B. False					
Field personnel should do the following: 391. Prepare, a 50- to 100-mL aliquot of sterile buffered water plated before the sample—for every sample by field personnel for total coliform, E. coli, and enterococci analyses to determine the sterility of equipment and supplies. A. Reagent water quality C. An MF equipment blank B. An environmental sample D. None of the above					
392. Prepare a, a 50- to 100-mL aliquot of sterile buffered water plated after the sample— for every fourth sample to measure the effectiveness of the analyst's rinsing technique or presence of incidental contamination of the buffered water. A. Equipment blank(s) C. Sterile working surface B. MF procedure blank(s) D. None of the above					

393. If contamination from a are qualified or not reported.		is found, results are suspect and				
A. Procedure blank	C. An MF equipment blank					
B. An environmental sample	D. None of the above					
	is type of analyses are differ	ent from the MF equipment blanks for				
bacterial analysis. A. Equipment blank(s)	C. Appropriate laboratory e	quipment				
B. MF procedure blank(s)	D. None of the above					
field conditions?		that they are generated under actual				
A. Reagent water quality B. Microbiological sampling	C. Field blanksD. None of the above	<i>1</i> 0				
Quality Assurance and Quality Control in the Laboratory 396. According to the text, microbiology laboratories must follow good laboratory practices—cleanliness, safety practices, procedures for, specifications for reagent water quality—as set forth by American Public Health Association. A. Reagent water quality						
Disinfection Section Chlorine's Appearance and Odor 397. Chlorine is a greenish-yellow gas it will condense to an amber liquid at approximately F or at high pressures. A29.2 degrees C. 29 degrees						
A29.2 degrees B. – 100 degrees	C. 29 degrees D. None of the above					
A. Moisture, steam, and wat	o chlorine gas may result in? er C. Olfactory fatigue D. None of the abov					
Chlorine Gas 399. The odor threshold for chlorine gas is approximately? A. 0.3-0.5 parts per million (ppm) C. 3-5 parts per million (ppm) B. 3 parts per million (ppm) D. None of the above						
	nperature is decreased, the C. "CT" disinfection of	concept				

When finished with your assignment.

Please scan the Registration Page, Answer Key and Driver's License and email it to info@TLCH2O.com.

If you are unable to scan, take a photo of these documents with your iPhone and send these to TLC, <u>info@TLCH2O.com</u>.

If you are unable to scan and email, please fax these to TLC,

(928) 468-0675
If you fax, call to confirm that we received your paperwork.