# HYDRAULIC PRINCIPLES CEU TRAINING COURSE \$100.00 48 HOUR RUSH ORDER PROCESSING FEE ADDITIONAL \$50.00

	Finish Date:
ou will have 90 days from this date in order to	complete this course
ist hours worked on assignment mus	st match State Requirement.
Name_ have read and understood the disclaimer no	Signature tice on page 2. Digitally sign XXX
Address:	
City	StateZip
Email	Fax ()
Phone: Home ()	Work ()
Operator ID#	Exp. Date
Please circle/check which certif	ication you are applying the course CEU's/PDH's.
	Collection Wastewater Treatment Other
	o <i>you in about two weeks.</i> g College PO Box 3060, Chino Valley, AZ 86323 46 Fax (928) 272-0747 e-mail info@tlch2o.com
f you've paid on the Internet, pl	ease write your Customer#
Please invoice me, my PO#	

We will stop mailing the certificate of completion so we need either your fax number or e-mail address. We will e-mail the certificate to you, if no e-mail address; we will fax it to you.

and provide your credit card information.

Please pay with your credit card on our website under Bookstore or Buy Now. Or call us

#### DISCLAIMER NOTICE

I understand that it is my responsibility to ensure that this CEU course is either approved or accepted in my State for CEU credit. I understand State laws and rules change on a frequent basis and I believe this course is currently accepted in my State for CEU or contact hour credit, if it is not, I will not hold Technical Learning College responsible. I also understand that this type of study program deals with dangerous conditions and that I will not hold Technical Learning College, Technical Learning Consultants, Inc. (TLC) liable for any errors or omissions or advice contained in this CEU education training course or for any violation or injury, death, neglect, damage caused by this CEU education training or course material suggestion or error.

I will call or contact TLC if I need help or assistance and double-check to ensure my registration page and assignment has been received and graded. In order to maintain the integrity of our courses we do not distribute test scores, percentages or questions missed. Our exams are based upon pass/fail criteria with the benchmark for successful completion set at 70%. Once you pass the exam, your record will reflect a successful completion and a certificate will be issued to you.

Check here to see if the course is was approved in your State, TLC does not guarantee if the course is accepted for credit because States change their rules. Look under Links for State Approval Listing

# State Approval Listing URL...

http://www.ABCTLC.com/downloads/PDF/CEU%20State%20Approvals.pdf

You can obtain a printed version from TLC for an additional \$169.95 plus shipping charges.

#### AFFIDAVIT OF EXAM COMPLETION

I affirm that I personally completed the entire text of the course. I also affirm that I completed the exam without assistance from any outside source. I understand that it is my responsibility to file or maintain my certificate of completion as required by the state or by the designation organization.

# **Grading Information**

In order to maintain the integrity of our courses we do not distribute test scores, percentages or questions missed. Our exams are based upon pass/fail criteria with the benchmark for successful completion set at 70%. Once you pass the exam, your record will reflect a successful completion and a certificate will be issued to you.

#### **Rush Grading Service**

If you need this assignment graded and the results mailed to you within a 48-hour period, prepare to pay an additional rush service handling fee of \$50.00. This fee may not cover postage costs. If you need this service, simply write RUSH on the top of your Registration Form. We will place you in the front of the grading and processing line.

For security purposes, please fax or e-mail a copy of your driver's license and always call us to <u>confirm</u> we've received your assignment and to confirm your identity.

# For Texas TCEQ Wastewater / Collections Operators

# **Rule Changes and Updates for Domestic Wastewater Systems**

On Nov. 4, 2014, TCEQ commissioners adopted revisions to 30 Texas Administrative Code (TAC), Chapter 217, Design Criteria for Domestic Wastewater Systems, and "re-adopted" previously repealed rules in 30 TAC, Chapter 317, Design Criteria Prior to 2008.

# Some of the changes to Chapter 217 include:

- Adding new definitions and clarifying existing definitions;
- Adding design criteria and approval requirements for rehabilitation of existing infrastructure;
- Adding design criteria for new technologies, including cloth filters and air lift pumps;
- Making changes to reflect modern practices, standards and trends;
- Modifying rule language to improve readability and enforceability; and
- Modifying the design organic loadings and flows for a new wastewater treatment facility.

# SUBCHAPTER A: ADMINISTRATIVE REQUIREMENTS §§217.1 - 217.18

Effective December 4, 2015 §217.1. Applicability. (a) Applicability. (1) This chapter applies to the design, operation, and maintenance of: (A) domestic wastewater treatment facilities that are constructed with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (B) treatment units that are altered, constructed, or re-rated with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (C) collection systems that are constructed with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (D) collection system units that are altered, constructed, or re-rated with plans and specifications received and approved by the executive director after the effective date of the amendments to this chapter; (E) existing domestic wastewater treatment facilities that do not have a current Texas Pollutant Discharge Elimination System permit or a Texas Land Application Permit and are required to have an active wastewater permit; (F) existing wastewater treatment facilities and collection systems that never received approval for plans and specifications from the executive director; and (G) collection system rehabilitation projects covered in §217.56(c) and §217.69 of this title (relating to Trenchless Pipe Installation; and Maintenance, Inspection, and Rehabilitation of the Collection System). (2) Domestic wastewater treatment facilities, treatment units, collection systems, and collection system units with plans and specifications approved by the executive director that were received on or after August 28, 2008 and before the effective date of this chapter must comply with the rules in this chapter, as they existed immediately before the effective date of the amendments to this chapter.

The rules in Texas Commission on Environmental Quality Page 2 Chapter 217 - Design Criteria for Domestic Wastewater Systems effect immediately before the effective date of the amendments to this chapter are continued in effect for that purpose. (3) This chapter does not apply to: (A) the design, installation, operation, or maintenance of domestic wastewater treatment facilities, treatment units, collection systems, or collection system units with plans and specifications that were approved by the executive director on or before August 27, 2008, which are governed by Chapter 317 of this title (relating to Design Criteria Prior to 2008) or design criteria that preceded Chapter 317 of this title; and (B) systems regulated by Chapter 285 of this title (relating to On-Site Sewage Facilities); or collection systems or wastewater treatment

facilities that collect, transport, treat, or dispose of wastewater that does not have the characteristics of domestic wastewater, although the wastewater may contain domestic wastewater.

(b) The executive director may grant variances from new requirements added by the amendments of this chapter to a person who proposes to construct, alter, or re-rate a collection system or wastewater treatment facility if the plans and specifications for the project are submitted within 180 days after the date the amendments to this chapter are effective, provided the plans and specifications comply with the rules in effect immediately prior to the amendment. Adopted November 4, 2015 Effective December 4, 2015

The link to the rules is available on the TCEQ website at <a href="https://www.tceq.texas.gov/rules/indxpdf.html">https://www.tceq.texas.gov/rules/indxpdf.html</a>

Please sign and date this notice	
Printed Name	
Signature	Date

# **Texas Students Only**

# Acknowledgement of Notice of Potential Ineligibility for License You are required to sign and return to TLC or your credit will not be reported.

Name:	
Date of Birth:	
Email Address:	
<ul> <li>by signing this form, I acknowledge that Technical Learning College notified me of the following:</li> <li>the potential ineligibility of an individual who has been convicted of an offense to be issued an occupational license by the Texas Commission on Environmental Quality (TCEQ) upon completion of the educational program;</li> <li>the current TCEQ Criminal Conviction Guidelines for Occupational Licensing, which describes the process by which the TCEQ's Executive Director determines whether a criminal conviction:</li> <li>renders a prospective applicant an unsuitable candidate for an occupational license;</li> <li>warrants the denial of a renewal application for an existing license; or</li> <li>warrants revocation or suspension of a license previously granted.</li> <li>the right to request a criminal history evaluation from the TCEQ under Texas Occupations Code Section 53.102; and</li> <li>that the TCEQ may consider an individual to have been convicted of an offense for the purpose of denying, suspending or revoking a license under circumstances described Title 30 Texas Administrative Code Section 30.33.</li> </ul>	
Enrollee Signature: Date:	
Name of Training Provider/Organization: Technical Learning College	

Contact Person: Melissa Durbin Role/Title: Dean

# Special Notice to all Texas (TCEQ) Students

- § 344.51. SPECIFIC CONDITIONS AND CROSS-CONNECTION CONTROL.
- (d) If an irrigation system is designed or installed on a property that is served by an on-site sewage facility, as defined in Chapter 285 of this title (relating to On-Site Sewage Facilities), then:
- (1) all irrigation piping and valves must meet the separation distances from the On-Site Sewage Facilities system as required for a private water line in §285.91(10) of this title (relating to Minimum Required Separation Distances for On-Site Sewage Facilities);
- (2) any connections using a private or public potable water source must be connected to the water source through a reduced pressure principle backflow prevention assembly as defined in §344.50 of this title (relating to Backflow Prevention Methods); and
- (3) any water from the irrigation system that is applied to the surface of the area utilized by the On-Site Sewage Facility system must be controlled on a separate irrigation zone or zones so as to allow complete control of any irrigation to that area so that there will not be excess water that would prevent the On-Site Sewage Facilities system from operating effectively.

# Texas TCEQ STUDENTS ONLY

All TCEQ Students will need to sign this and date this form as well. TCEQ students will also be given special assistance if you fail the examination. You will also have access to failed or wrong questions and/or the area or topic of the assignment to complete your learning experience.

## Attention Texas TCEQ Operators, Irrigators, CSI and Backflow Testers...

**NOTE:** Any course cannot be taken for same credit in the same renewal period. Please call TCEQ and make sure that these courses are still accepted for credit before starting. Do not retake this course for credit in the same renewal period. TCEQ rules and decisions change frequently.

Signature			

# Please e-mail or fax this survey along with your final exam

# HYDRAULIC PRINCIPLES CEU Training Course CUSTOMER SERVICE RESPONSE CARD

N	AME:							
TE	ELEPHONE:							
	LEASE COMPLINSWER IN THE				Y CIRC	CLING T	ΓΗΕ Ι	NUMBER OF THE APPROPRIATE
1.	Please rate the Very Easy	difficu 0	ulty of y 1	our co 2	ourse. 3	4	5	Very Difficult
2.	Please rate the Very Easy	difficu 0	ulty of t 1	he test 2	ing pro	ocess. 4	5	Very Difficult
3.								tual field or work. Very Different
4.	How did you he	ar abo	out this	Cours	e?			
W	hat would you do	o to im	prove 1	the cou	urse?			
Ar	ny other concern	s or co	ommen	ts.				

Please write down any questions you were not able to find the answers or that have errors.

# **Disclaimer Notice**

I understand that I am 100 percent responsible to ensure that TLC receives the Assignment and Registration Key and that it is accepted for credit by my State or Providence. I understand that TLC has a zero tolerance towards not following their rules, cheating or hostility towards staff or instructors. I need to complete the entire assignment for credit. There is no credit for partial assignment completion. My exam was proctored. I will contact TLC if I do not hear back from them within 2 days of assignment submission. I will forfeit my purchase costs and will not receive credit or a refund if I do not abide with TLC's rules. I will not hold TLC liable for any errors, injury, death or non-compliance with rules. I will abide with all federal and state rules and rules found on page 2.

Please Sign that you understand and will abide with TLC's Rules.			
Signature			

Please write down any questions you were not able to find the answers or that have errors.

# When Finished with Your Assignment

# **REQUIRED DOCUMENTS**

Please scan the **Registration Page**, **Answer Key**, **Survey and Driver's License** and email it to info@TLCH2O.com.

# **IPhone Scanning Instructions**

If you are unable to scan, take a photo of these documents with your **iPhone** and send these photos to TLC, info@TLCH2O.com.

### **FAX**

If you are unable to scan and email, please fax these to TLC, if you fax, call to confirm that we received your paperwork. (928) 468-0675

# **CERTIFICATION OF COURSE PROCTOR**

Technical Learning College requires that our students who takes a correspondence or home study program course must pass a proctored course reading, quiz and final examination. The proctor must complete and provide to the school a certification form approved by the commission for each examination administered by the proctor.

<b>Instructions</b> . When a student completes the course work, fill out the blanks in this section and provide the form to the proctor with the examination.
Name of Course:
Name of Licensee:
<b>Instructions to Proctor</b> . After an examination is administered, complete and return this certification and examination to the school in a sealed exam packet or in pdf format.
I certify that:
<ol> <li>I am a disinterested third party in the administration of this examination. I am not related by blood marriage or any other relationship to the licensee which would influence me from properly administering the examination.</li> <li>The licensee showed me positive photo identification prior to completing the examination.</li> <li>The enclosed examination was administered under my supervision on The licensee received no assistance and had no access to books, notes or reference material.</li> <li>I have not permitted the examination to be compromised, copied, or recorded in any way or by any method.</li> <li>Provide an estimate of the amount of time the student took to complete the assignment.</li> </ol>
Time to complete the entire course and final exam
Notation of any problem or concerns:
Name and Telephone of Proctor (please print):
Signature of Proctor

# **Hydraulic Principles CEU Course Answer Key**

Name_				
Phone				
			ensure this course is ac	cepted for credit?
-	-	No	o refunds.	•
			e is accepted for credit. I on. Please fill this sectio	
Webs	ite Telephone (	Call Email	Spoke to	
			pplicable?	
_				
What i	s the course appr	oval number, if ap	oplicable?	
You ca	an electronically o	omplete this assi	gnment in Adobe Acrob	at DC.
Please	Circle, Bold, Unde	rline or X, one ans	wer per question. A <b>felt tij</b>	oped pen works best.
1.	ABCD	20. AB	39. ABCD	58. ABCD
2.	ABCD	21. A B C D	40. A B C D	59. A B C D
3.	ABCD	22. A B	41. A B	60. A B C D
4.	ABCD	23. ABCD	42. A B C D	61. A B C D
5.	ABCD	24. ABCD	43. A B C D	62. A B
6.	ABCD	25. AB	44. A B C D	63. A B C D
7.	АВ	26. ABCD	45. A B C D	64. ABCD
8.	ABCD	27. ABCD	46. A B C D	65. ABCD
9.	ABCD	28. ABCD	47. A B C D	66. ABCD
10	ABCD	29. AB	48. A B C D	67. A B
11.	. A B	30. ABCD	49. A B C D	68. A B
12.	ABCD	31. A B	50. A B C D	69. A B
13.	ABCD	32. A B	51. A B C D	70. A B
14.	ABCD	33. ABCD	52. A B C D	71. A B C D
15.	ABCD	34. ABCD	53. A B	72. A B C D
16	ABCD	35. ABCD	54. A B C D	73. A B
17.	ABCD	36. AB	55. A B C D	74. A B C D
18.	. A B	37. ABCD	56. A B	75. A B
19.	ABCD	38. AB	57. ABCD	76. A B C D

77.	ABCD	109.	ABCD	141. AB	173. ABCD
78.	ABCD	110.	ABCD	142. AB	174. AB
79.	АВ	111.	ABCD	143. AB	175. ABCD
80.	АВ	112.	ABCD	144. AB	176. ABCD
81.	АВ	113.	ABCD	145. AB	177. AB
82.	ABCD	114.	АВ	146. ABCD	178. ABCD
83.	ABCD	115.	ABCD	147. ABCD	179. ABCD
84.	ABCD	116.	ABCD	148. AB	180. ABCD
85.	ABCD	117.	ABCD	149. ABCD	181. ABCD
86.	ABCD	118.	АВ	150. ABCD	182. AB
87.	ABCD	119.	ABCD	151. ABCD	183. ABCD
88.	ABCD	120.	ABCD	152. AB	184. ABCD
89.	АВ	121.	ABCD	153. ABCD	185. AB
90.	АВ	122.	ABCD	154. ABCD	186. ABCD
91.	ABCD	123.	АВ	155. AB	187. ABCD
92.	ABCD	124.	АВ	156. ABCD	188. ABCD
93.	ABCD	125.	АВ	157. AB	189. ABCD
94.	ABCD	126.	ABCD	158. AB	190. ABCD
95.	ABCD	127.	ABCD	159. AB	191. ABCD
96.	ABCD	128.	ABCD	160. AB	192. ABCD
97.	АВ	129.	ABCD	161. ABCD	193. AB
98.	АВ	130.	АВ	162. ABCD	194. AB
99.	АВ	131.	АВ	163. ABCD	195. ABCD
100.	АВ	132.	АВ	164. AB	196. AB
101.	ABCD	133.	АВ	165. A B	197. AB
102.	ABCD	134.	АВ	166. ABCD	198. ABCD
103.	ABCD	135.	ABCD	167. ABCD	199. AB
104.	ABCD	136.	ABCD	168. ABCD	200. ABCD
105.	ABCD	137.	АВ	169. ABCD	
106.	ABCD	138.	АВ	170. ABCD	
107.	ABCD	139.	АВ	171. ABCD	
108.	ABCD	140.	АВ	172. AB	
	l		1:	2	

# HYDRAULIC PRINCIPLES CEU COURSE ASSIGNMENT

You may re-type or use this Word document to assist your assignment

You will have 90 days from receipt of this course to complete in order to receive your Continuing Education Units (**CEUs**) or Professional Development Hours (**PDHs**).

A score of 70 % or better is necessary to pass this course. If you should need any assistance, please email all concerns and the final test to info@tlch2o.com. You can find online assistance for this course on the in the Search function on Adobe Acrobat PDF to help find the answers.

Please include your name and address on your Answer Sheet.

Please write down any questions you were not able to find the answers or that have errors.

One answer per question.

# **Common Hydraulic Terms**

- 1. Which of the following definitions is the engineering science pertaining to liquid pressure and flow?
- A. Hydraulics C. Hydrokinetics
- B. Hydrology D. None of the above
- 2. Which of the following definitions is the pressure exported by the atmosphere at any specific location?
- A. Pressure, Atmospheric C. Pressure, Gauge
- B. Pressure, Static D. None of the above
- 3. Which of the following definitions is height of a column or body of fluid above a given point expressed in linear units?
- A. Head, Friction C. Head
- B. Head, Static D. None of the above
- 4. Which of the following definitions is required to overcome the friction at the interior surface of a conductor and between fluid particles in motion?
- A. Head, Friction C. Head
- B. Head, Static D. None of the above
- 5. Which of the following definitions is the pressure in a fluid at rest?
- A. Head. Friction C. Head
- B. Pressure, Static D. None of the above
- 6. Which of the following definitions is the height of a column or body of fluid above a given point?
- A. Head, Friction C. Head
- B. Head, Static D. None of the above
- 7. Sea level pressure is approximately 2.31 pounds per square inch absolute, 1 bar = .433psi.
- A. True B. False

<ul> <li>8. Which of the following definitions is pressure above zero absolute, i.e. the sum of atmospheric and gauge pressure?</li> <li>A. Pressure, Atmospheric C. Pressure, Gauge</li> <li>B. Pressure, Static D. None of the above</li> </ul>				
<ul> <li>9. Which of the following definitions is the force per unit area, usually expressed in pounds per square inch?</li> <li>A. Pressure, Absolute</li> <li>B. Pressure</li> <li>C. Pressure, Gauge</li> <li>D. None of the above</li> </ul>				
<ul> <li>10. Which of the following definitions is the pressure differential above or below ambient atmospheric pressure?</li> <li>A. Pressure, Absolute</li> <li>B. Pressure</li> <li>C. Pressure, Gauge</li> <li>D. None of the above</li> </ul>				
Hydraulics 11. Hydraulics is a branch of engineering concerned mainly with moving liquids. A. True B. False				
<ul> <li>12. Which of the following includes the manner in which liquids act in tanks and pipes, deals with their properties and explores ways to take advantage of these properties?</li> <li>A. Pressure</li> <li>B. Hydrostatics</li> <li>C. None of the above</li> </ul>				
<ul> <li>13. Which of the following includes the consideration of liquids at rest, involves problems of buoyancy and flotation?</li> <li>A. Pressure C. Hydraulics</li> <li>B. Hydrostatics D. None of the above</li> </ul>				
14. Hydraulics is applied commonly to the study of the, other liquids, and even gases when the effects of compressibility are small.  A. Fluids C. Mechanical properties of water  B. Flow D. None of the above				
15. Hydraulics can be divided into two areas, and hydrokinetics.  A. Fluids C. Hydrokinetics  B. Hydrostatics D. None of the above				
16. Which of the following includes the study of liquids in motion, is concerned with such matters as friction and turbulence generated in pipes by flowing liquids?  A. Fluids C. Hydrokinetics  B. Hydrostatics D. None of the above				
17. Which of the following is about the pressures exerted by a fluid at rest?  A. Fluids C. Hydrokinetics  B. Hydrostatics D. None of the above				
Atmospheric Pressure  18. The atmosphere is the entire mass of air that surrounds the earth.  A. True B. False				

	er called that spreads upward for about 300-500 miles, the section at rests on the earth's surface and extends upward for about 7 1/2
A. Atmospheric pressure B. Troposphere	C. Sea level D. None of the above
20. If a column of air 1-inch squar would weigh approximately 2.31 per A. True B. False	e extending all the way to the "atmosphere", this column of air ounds at sea level.
<ul><li>21. Which of the following terms a</li><li>A. Atmospheric pressure</li><li>B. Pressure(s) of the air</li></ul>	t sea level is approximately 14.7 psi? C. Sea level D. None of the above
<ul><li>22. If you were to ascend up, the a</li><li>2,343 feet.</li><li>A. True B. False</li></ul>	atmospheric pressure increases by approximately 1.0 psi for every
added to the?  A. Atmospheric pressure	rom those under air only because the weight of the water must be  C. Sea level
B. Pressure(s) of the air	D. None of the above
24. Which of the following can be barometer?	measured by several methods, one method is the mercury column
<ul><li>A. Static pressure</li><li>B. Atmospheric pressure</li></ul>	<ul><li>C. Sea level</li><li>D. None of the above</li></ul>
	ure of 0° Celsius (C), the height of the mercury column is ntimeters. This represents a pressure of approximately 14.7 psi.
•	measured with the aneroid Barometer? nospheric pressure ne of the above
27. Atmospheric pressure does no A. Altitude C. Weight B. Pressure(s) D. None of th	,
28. Atmospheric pressure is dema of the air above	arcated as the force per unit area exerted against a surface by the that surface.
A. Altitude C. Weight B. Pressure(s) D. None of th	
Barometric Loop	

29. According to the text, the barometric loop, will provide protection against backsiphonage, is based upon the principle that a water column, at sea level pressure, will not rise above 33.9 feet. In general, barometric loops are locally fabricated, and are 35 feet high.

A. True B. False

<ul><li>30. Which of the following absolute (psia), or gauge s</li><li>A. Static pressure</li><li>B. Pressure</li></ul>				
31. Absolute pressure is e A. True B. False	equal to gauge pressure plus the atmospheric pressure.			
	onsists of a continuous section of supply piping that abruptly rises to a 3 feet and then returns back down to the originating level.			
	absolute pressure and gauge pressure? C. Permanent forces tangential D. None of the above			
<ul><li>34. Which of the following</li><li>A. Static pressure</li><li>B. Atmospheric pressure</li></ul>	C. Gauge pressure			
<ul><li>35. Which of the following</li><li>A. Static pressure</li><li>B. Absolute pressure</li></ul>	terms is the total pressure? C. Gauge pressure D. None of the above			
36. Gauge pressure is simother than atmospheric, the A. True B. False	aply the pressure read on the gauge. If there is no pressure on the gauge e gauge will read zero.			
<ul><li>37. Which of the following</li><li>A. Static pressure</li><li>B. Absolute pressure</li></ul>	terms would be equal to 14.7 psi, which is also the atmospheric pressure? C. Gauge pressure D. None of the above			
Pressure 38. Water is incompressi A. True B. False	ible, while air is very compressible.			
<ul><li>39. Both air and water are</li><li>A. Fluid(s)</li><li>B. Shearing force(s)</li></ul>	considered to be? C. Volume D. None of the above			
<ul><li>40. Which of the following</li><li>A. Fluid(s)</li><li>B. Shearing force(s)</li></ul>	terms does water possess and air does not? C. Volume D. None of the above			
<ul><li>41. A fluid is a substance that cannot exert any permanent forces tangential to a boundary and any force that it exerts on a boundary must be normal to the boundary.</li><li>A. True B. False</li></ul>				

<ul><li>42. According to the text, a force if</li><li>A. Pascal's Principle</li><li>B. Area on which it is exerted</li></ul>	C. Acting on the body of the fluid
element would move in the direction	quilibrium, the pressure must be the same in all directions (or the on of least pressure), and if no other forces are?  C. Acting on the body of the fluid  D. None of the above
<ul><li>44. The coefficient of viscosity is to</li><li>A. Absolute pressure C. Vo</li><li>B. Shearing force D. No</li></ul>	
of forces would not be disturbed?	certain volume of fluid were somehow made solid, the equilibrium splaced fluid ne of the above
in a fluid? A. Axiom C. Dis	s an example of a body force that disturbs the equality of pressure splaced fluid ne of the above
pressure with? A. Axiom C. Dis	quation, for when this equation is integrated, we find the variation of placed fluid ne of the above
Free Surface Perpendicular to G 48. Archimedes' Principle says the and passes through the center of a A. Pressure B. Gravitational body force	at the buoyant force is equal to the weight of the displaced fluid,
measuring the height of liquid colu A. Aneroid barometer C. Pa	s a practice that is convenient to measure pressure differences by
contracts according to the externa A. Aneroid barometer C. Pa	ses a partially evacuated chamber of thin metal that expands and pressure? rtial vacuum ne of the above
that the C. To	at the absolute pressure is less than the atmospheric pressure and _ is negative. al vacuum ne of the above

<ul><li>52. Which of the following</li><li>A. Static pressure</li><li>B. Gauge pressure</li></ul>	terms would mean a pressure of 0 psia or –14.7 psig? C. Total vacuum D. None of the above
53. According to the text, A. True B. False	it is impossible to produce a partial vacuum.
slightly greater than 0 psia	C. Atmospheric pressure
supply system that is unde	exerted on a liquid, forcing it toward a er a vacuum.  C. Atmospheric pressure  D. None of the above
	foot of water is 62.4 pounds per square foot. The base can be subdivided the each subdivision being subjected to a pressure of 0.433 psig. This is one eackflow prevention.
A. Friction C. Pr	are defined in terms of the height of a fluid. ressure(s) one of the above
58. Water with a pressure water raised by 10 ft.  A. Friction C. Er  B. Depth D. No	
59. Water flowing in a pip A. Friction C. Pr B. Weight D. No	e is subject to head loss because of? ressure(s) one of the above
<ul><li>60. When a siphon goes I</li><li>A. Hydrostat</li><li>B. Inverted siphon</li></ul>	below the free water levels, it is called an?  C. Expressed siphon  D. None of the above
Pressure and Force 61. Which of the following A. Absolute pressure B. Pressure	terms is the force that pushes water through pipes?  C. Volume  D. None of the above
62. Water pressure determand. True B. False	mines the flow of water from the tap.

63. Which of the following along with and force are used extensively in the study of fluid power? C. Volume A. Fluid(s) B. Pressure D. None of the above 64. Which of the following terms represents the amount of push or pull applied to each unit area of the surface? A. Force C. Volume B. Pressure D. None of the above 65. Which of the following represents a total push or pull. It is the push or pull exerted against the total area of a particular surface? A. Force C. Volume B. Pressure D. None of the above 66. Which of the following terms maybe exerted in one direction, in several directions, or in all directions? A. Force C. Volume B. Pressure D. None of the above **Development of Hydraulics** 67. According to the text, valves, pumps, actuating cylinders, and motors have been developed and refined to make hydraulics one of the leading methods of transmitting power. A. True B. False 68. One characteristic of a liquid is the tendency to keep its free surface level. A. True B. False 69. Liquids will flow in the direction that will tend to make the surface level, if the surface is not level. A. True B. False 70. Daniel Bernoulli conducted experiments to study the elements of force in the discharge of water through small openings in the sides of tanks and through short pipes. A. True B. False 71. Blaise Pascal, a French scientist, discovered the fundamental law for the science of? A. Pressure C. Hydraulics B. Hydrostatics D. None of the above 72. Which of the following states that increase in pressure on the surface of a confined fluid is transmitted undiminished throughout the confining vessel or system? C. Aristotle' law A. Pascal's law B. Archimedes' law D. None of the above 73. The mercury column is held up by the pressure by horror vacui as Aristotle had supposed. A. True B. False 74. Which of the following scientists making the first vacuum pump, which he used in vivid demonstrations of the pressure of the atmosphere? A. Evangelista Torricelli C. Blaise Pascal B. Otto von Guericke D. None of the above 19

75. Air, which is by no means incodecreases, and the air expands. A. True B. False	ompressible. As we rise in the atmosphere and the pressure
<ul><li>76. Which of the terms is by no m</li><li>A. Stratosphere C. Atmosphe</li><li>B. Tropopause D. None of th</li></ul>	
<b>Meteorology</b> 77. Which of the following terms is winds?	s of great importance in meteorology, since it determines the
A. Stratosphere pressure  B. Sea level pressure	C. Atmospheric pressure D. None of the above
, and how they	
<ul><li>A. Stratosphere pressures</li><li>B. Sea level pressures</li></ul>	D. None of the above
Pascal's Law 79. Pascal discovered that pressu A. True B. False	re in a fluid acts equally in some directions.
80. According to the text, pressure A. True B. False	e acts at right angles to the containing surfaces.
	xposed face, is placed beneath the surface of a liquid at a specific ctions, the pressure will always read the same.
82. Pressure in a	of direction.
A. Weight of a liquid	C. Liquid is independent
B. Liquid at a specific depth	D. None of the above
83. Pressure due to thethe surface.	, at any level, depends on the depth of the fluid from
A. Weight of a liquid	C. Liquid is independent
B. Liquid at a specific depth	D. None of the above
84. If the exposed face of the presindicated?	ssure gauges are moved closer to the surface of the liquid, the
	lumn is tripled
•	ne of the above
85. The indicated pressure is dou	
•	lumn is tripled ne of the above
B. Pressure will be less D. No	HE OF THE ADOVE

divided by the cross-secti	depth in the of the column of liquid at that depth onal area of the column at that depth.  C. Liquid is equal to the weight  D. None of the above
	g produces the pressure is referred to as the fluid head of the liquid?  C. Liquid is equal to the weight  D. None of the above
	is due to its fluid head is also dependent on the density of the liquid.  C. Liquid is equal to the weight  D. None of the above
Static Pressure 89. Static pressure exists A. True B. False	s in addition to gravity that may also be present at the same time.
90. Pascal's law states the angles to the containing state. A. True B. False	nat a pressure set up in a fluid acts equally in all directions and at right surfaces.
factors making up	ne situation only for fluids at rest or practically at rest. It is true only for the
A. Pressure drop     B. Static head	C. Fluid power D. None of the above
•	
	of inertia and friction are related to the static factors. Velocity head and obtained at the expense of static head.
A. Friction head  B. Static head	C. Fluid power  D. None of the above
Volume and Velocity of 94. Which of the following flow or flow rate?	<b>Flow</b> g flow terms when passing a point in a given time is known as its volume of
<ul><li>A. Pressure drop</li><li>B. Volume of a liquid</li></ul>	C. Velocity of flow D. None of the above
95. Which of the followin	g flow terms is usually expressed in gallons per minute (gpm) and is ressures of the liquid, such as 5 gpm at 40 psi?  C. Volume of flow  D. None of the above

- 96. Which of the following flow terms is defined as the average speed at which the fluid moves past a given point. It is usually expressed in feet per second (fps) or feet per minute (fpm).
- A. Pressure drop

C. Velocity of flow

B. Volume of a liquid

- D. None of the above
- 97. Volume and friction head are often considered together, that is, with volume of input unchanged—the velocity of flow increases as the cross section or size of the pipe decreases.
- A. True B. False

# Bernoulli's Principle

- 98. Bernoulli's principle thus says that a rise (or fall) in pressure in a flowing fluid must always be accompanied by a decrease (or increase) in the speed, and conversely, if an increase (decrease) in, the speed of the fluid results in a decrease (or increase) in the pressure.
- A. True B. False
- 99. Bernoulli's principle is responsible for the fact that a shower curtain gets "sucked inwards" when the water is first turned on. What happens is that the increased water/air velocity inside the curtain (relative to the still air on the other side) causes a pressure drop.
- B. False A. True
- 100. Which of the following explains the difference between the outside and inside causes a net force on the shower curtain which sucks it inward?

A. Pressure

C. Volume of a liquid

B. Friction head

D. None of the above

#### What is Backflow?

101. Backflow is the undesirable reversal of flow of nonpotable water or other substances through a and into the piping of a public water system or consumer's potable water svstem.

A. Backflow

C. Cross-connection

- B. Indirect connection D. None of the above
- 102. Which of the following can occur when there is a stoppage of water supply due to nearby firefighting, a break in a water main?

A. Backsiphonage

C. Cross-connection

B. Backpressure

- D. None of the above
- 103. Which of the following is a type of backflow caused by a downstream pressure that is greater than the upstream or supply pressure in a public water system or consumer's potable water system?

A. Backflow

C. Indirect connection

- B. Backpressure D. None of the above
- 104. Which of the following can result from an increase in downstream pressure, a reduction in the potable water supply pressure, or a combination of both?

A. Backflow

C. Backsiphonage

B. Backpressure D. None of the above

- 105. Which of the following can have two forms-backpressure and backsiphonage?

A. Backflow

C. Cross-connection

B. Backpressure D. None of the above

106. The basic mechanism a physical barrier to backflo	for preventing backflow is a mechanical	, which provides		
A. Air gap				
B. Backflow preventer	D. None of the above			
107. The principal types of assembly, the	mechanical backflow preventer are the reduced-pressure, and the double check valve assembly.  C. Backflow check	e principle		
A. Vacuum breaker	C. Backflow check			
B. Air gaper	D. None of the above			
	is a means or mechanism to prevent backflow?  C. Backflow check valve			
B. Backflow preventer	D. None of the above			
eliminates a cross-connect	basic means of preventing backflow is a(n)ion or provides a barrier to backflow.	, which either		
<ul><li>A. Vacuum breaker</li><li>B. Air gap</li></ul>	D. None of the above			
110. Which of the following is any temporary or permanent connection between a public water system or consumer's potable water system and any source or system containing nonpotable water or other substances?				
<ul><li>A. Indirect connection</li><li>B. Jumper</li></ul>	<ul><li>C. Cross-connection</li><li>D. None of the above</li></ul>			
111. Which of the following is a type of backflow caused by a negative pressure (i.e., a vacuum or partial vacuum) in a public water system or consumer's potable water system?				
<ul><li>A. Backsiphonage</li><li>B. Backpressure</li></ul>	D. None of the above			
	can occur whenever the amount of water being used exc ch as during water line flushing, firefighting, or breaks in v C. Cross-connection D. None of the above			
Types of Backflow Prevention Methods and Assemblies  113. Which of the following must either be physically disconnected or have an approved backflow prevention device installed to protect the public water system?				
<ul><li>A. Indirect connection</li><li>B. Jumper</li></ul>	C. Cross-connection D. None of the above			
114. The type of device set A. True B. False	lected for a particular backflow installation depends on se	everal factors.		
115. When thethe air gap separation mus		ted near a wall,		
A. Air break	C. Airflow			
B. Barrier to backflow	D. None of the above			

water pipeline and the top of A. Open receiving vessel	of a(n)?	ckflow	owing discharge end of a potable	
			neter of the supply pipe and not less	,
than one inch?				
<ul><li>A. Open receiving vessel</li><li>B. Air break</li></ul>		ahaya		
D. All bleak	D. None of the	above		
118. An air break is a phys supply pipeline, and the ove A. True B. False			wing discharge end of a potable wate e receiving vessel.	er
119. According to the text, twice the inside diameter of A. 1 inch C. 12 i B. 2 inches D. Nor	the supply, but inches		ly orientated a distance of at least	
pipe and nullify the effective A. Open receiving vessel	eness of the air g	ap to prevent backs	ay restrict the flow of air into the out siphonage.	ilet
	ole for	and is t	heoretically the most effective	
protection.  A. High hazard installations		C Low pollutional h	azards	
B. High pollutional concern	s D	). None of the abov	e	
Vacuum Breakers 122. Which of the following	devices can hav	ve two primary type:	s: atmospheric and pressure.	
A. Vacuum breaker(s)	C	. Hazard application	on(s)	
B. Atmospheric vacuum bre	eakers D	None of the abov	e	
123. Both vacuum breakers connections due to submers A. True B. False	•	• • • •	ect the water system from cross s and tank applications.	
124. Both vacuum breakers	s devices open t	he pipeline to atmos	sphere in the event of backsiphonag	je
only. A. True B. False				
125. Both vacuum breakers A. True B. False	s devices are ap	proved for backpres	ssure conditions.	
126. Both vacuum breakers	s devices are on	ly suitable for?		
A. High hazard installations		Low hazard cond		
B. High pollutional concern	s D	<ol> <li>None of the abov</li> </ol>	е	

;	<ul> <li>127. Which of the following may not be installed downstream of atmospheric vacuum breakers but are allowed on pressure vacuum breakers?</li> <li>A. Valve assembly C. Air inlet valve</li> <li>B. Shut offs D. None of the above</li> </ul>		
1	128. The devices must be ir A. Downstream piping B. Vacuum breakers	C. Hazard applications	
1	A. Double check	contains a float check, a check se C. RP aker D. None of the above	eat, and an air inlet port?
(	<ul><li>130. Atmospheric vacuum breakers Uses: Irrigation systems, commercial dishwasher and laundry equipment, chemical tanks and laboratory sinks.</li><li>A. True B. False</li></ul>		
i		aker Assembly (PVB) consists of a ef valve, two resilient seated shutc	a weighted check valve, an off valves, and two properly located
	132. The PVB needs to be i A. True B. False	nstalled 12 inches above the serv	rice or supply line to work correctly.
133. Double Check Valve Assembly (DC) consists of two internally loaded check valves, either spring loaded or internally weighted, two resilient seated full ported shutoff valves, and four properly located resilient seated test cocks  A. True B. False			
	134. The double check valve backsiphonage from high he A. True B. False		backflow caused by backpressure and
	135. The double check valv freezing.	e should be installed in an	and protected from
1	A. Confined space	C. Above the ground D. None of the above	
	B. Accessible location	stalled 12 inches  D. In a pit  E. above the highest downstream  F. None of the above	for testing purposes only.
	check valves separated by a		two independently acting spring loaded re relief valve, two resilient seated fulled test cocks.

<ul><li>138. During normal operation, the pressure between the two check valves, referred to as the air inlet zone, is maintained at a higher pressure than the supply pressure.</li><li>A. True B. False</li></ul>
139. If either reduced pressure backflow assembly check valve leaks, the differential pressure relief valve maintains a differential pressure of at least two (2) psi between the supply pressure and the zone between the two check valves by discharging water to atmosphere.  A. True B. False
<ul><li>140. The reduced pressure backflow assembly or RP is designed to prevent backflow caused by backpressure and backsiphonage from low to high health hazards.</li><li>A. True B. False</li></ul>
<ul><li>141. The RP needs to installed 12 inches above the ground for testing purposes only.</li><li>A. True B. False</li></ul>
<ul><li>142. The reduced pressure backflow assembly can be used for high hazard situations under backpressure only. Under normal conditions, the second check valve should never close.</li><li>A. True B. False</li></ul>
<ul><li>143. According to the text, if the second check valve fails or becomes fouled and backflow into the reduced pressure zone occurs, the relief port vents the backflow to atmosphere.</li><li>A. True B. False</li></ul>
<ul><li>144. According to the text, the reduced pressure zone port opens anytime pressure in the zone comes within 2 psi of the supply pressure.</li><li>A. True B. False</li></ul>
General Pumping Fundamentals 145. Here are the important points to consider about suction piping when the liquid being pumped is below the level of the pump: Sometimes suction lift is also referred to as 'positive suction head'.  A. True B. False
<ul> <li>146. According to the text, suction lift is when the level of water to be pumped is below the?</li> <li>A. Impeller</li> <li>B. Suction</li> <li>C. Centerline of the pump</li> <li>D. None of the above</li> </ul>
Pumps 147. Pumps are excellent examples of? A. Hydrostatics C. Multi-stage pumps B. Quasi-static devices D. None of the above
<ul><li>148. Positive displacement pumps have a piston (or equivalent) moving in a closely-fitting cylinder and forces are exerted on the fluid by motion of the piston.</li><li>A. True B. False</li></ul>
149. More complicated pumps have valves check valves that open to allow, and close automatically to prevent reverse flow.  A. Pistons C. Passage in one direction  B. Diaphragms D. None of the above

	the force pump has	in the cylinder, one for supply
<ul><li>and the other for delivery.</li><li>A. Two check valves</li><li>B. Diaphragms</li></ul>	C. Rotors D. None of the above	
	ment pump, supply valve op linder volume decreases.	ens when the cylinder, the ases
152. Diaphragm pumps ar piston. A. True B. False	e force pumps in which the	oscillating diaphragm takes the place of the
Pump Categories 153. The key to understan we call press A. Delivery force B. Impeller force	sure. C. Diaphragm pressure	that a pump is to move water and generate the
154. With a centrifugal pur the equivalent in elevation, A. Inward force B. Head	called?	red to in pounds per square inch but rather as
155. According to the text, A. True B. False	pumps may be classified b	ased on the application they serve.
Basic Water Pump 156. The centrifugal pump A. Vortex C. Cy B. Cylinder D. No		ound in a circle inside a?
157. As the water slows do energy increases. A. True B. False	own and its kinetic energy o	lecreases, that water's pressure potential
158. As the water spins, the than near the center of the A. True B. False	•	edge of the pump housing becomes much lowe
159. The impeller blades of A. True B. False	cause the water to move fas	eter and faster.
160. The impellers may be A. True B. False	e of either a semi-open or c	osed type.

<ul> <li>161. According to the text, without an inward force, an object will travel in a straight line and will not complete the?</li> <li>A. Circle C. Center</li> <li>B. Distance D. None of the above</li> </ul>
<ul><li>162. In a centrifugal pump, the inward force is provided by high-pressure water near the outer edge of the?</li><li>A. Pump housing C. Base</li><li>B. Impeller blade(s)D. None of the above</li></ul>
163. In the operation of the pump, the water at the edge of the inward on the water between the impeller blades and makes it possible for that water to travel in a circle.  A. Inward force C. Center of the impeller  B. Pump pushes D. None of the above
Venturi (Bernoulli's law): 164. A venturi is a pipe that has a gradual restriction that opens up into a gradual enlargement. A. True B. False
Types of Water Pumps 165. The water production well industry almost exclusively uses Turbine pumps, which are a type of centrifugal pump.  A. True B. False
166. The most common type of water pumps used for municipal and domestic water supplies are?  A. Axial flow  C. Rotary pumps  B. Variable displacement pumps  D. None of the above
<ul><li>167. Which of the following will produce at different rates relative to the amount of pressure or lift the pump is working against?</li><li>A. Pump's lifting capacity</li><li>B. Atmospheric pressure</li><li>C. Variable displacement pump</li><li>D. None of the above</li></ul>
168. Impellers are rotated by the pump motor, which provides the needed to overcome the pumping head.  A. Pump's lifting capacity C. Horsepower  B. Atmospheric pressure D. None of the above
169. The size and number of stages, horsepower of the motor andare the key components relating to the pump's lifting capacity.  A. Pumping head C. Horsepower  B. Atmospheric pressure D. None of the above
<ul> <li>170. Which of the following terms are variable displacement pumps that are by far used the most?</li> <li>A. Axial flow</li> <li>B. Centrifugal pumps</li> <li>C. Turbine pumps</li> <li>D. None of the above</li> </ul>

<ul> <li>171. According to the text, the turbine pump utilizes impellers enclosed in single or multiple bowls or stages to?</li> <li>A. Pump head</li> <li>B. Lift water</li> <li>C. Horsepower</li> <li>D. None of the above</li> </ul>
172. Vertical turbine pumps are commonly used in groundwater wells. These pumps are driven by a shaft rotated by a motor on the surface.  A. True B. False
<ul> <li>173. The shaft turns the impellers within the pump housing while the?</li> <li>A. Desired pumping rate is obtained</li> <li>B. Horsepower turns the shaft</li> <li>C. Water moves up the column</li> <li>D. None of the above</li> </ul>
<ul><li>174. The rotating shaft in a line shaft turbine is actually housed within the column pipe that delivers the water to the surface.</li><li>A. True B. False</li></ul>
175. The size of the are selected based on the desired pumping rate and lift requirements.  A. Impeller(s) C. Column, impeller, and bowls  B. Lantern ring D. None of the above
<ul> <li>176. According to the text, column pipe sections can be threaded or coupled together while the drive shaft is coupled and suspended within the column by?</li> <li>A. Column pipe</li> <li>B. Spider bearings</li> <li>C. Lantern ring</li> <li>D. None of the above</li> </ul>
<ul><li>177. The water passing through the column pipe serves as the lubricant for the bearings.</li><li>A. True B. False</li></ul>
178. Which of the following terms, provide both a seal at the column pipe joints and keep the shaft aligned within the column?  A. Column pipe  C. Lantern ring  B. Spider bearings  D. None of the above
179. The oil tube is suspended within the column by, while the line shaft is supported within the oil tube by brass or redwood bearings.  A. Column pipe
180. A continuous supply of lubricates the drive shaft as it proceeds downward through the oil tube.  A. Grease C. Water  B. Oil D. None of the above
There are three main types of diaphragm pumps:  181. In the first type, the with one side in the fluid to be pumped, and the other in air or hydraulic fluid.  A. Vapor bubbles

182. The diaphragm is flexed, causing the volume of the pump chamber to increase and decrease.  A. True B. False
183. A pair ofprevents reverse flow of the fluid.  A. Return valves C. Non-return check valves  B. Diaphragms D. None of the above
<ul> <li>184. The second type of diaphragm pump works with volumetric positive displacement, but differs in that the prime mover of the diaphragm is neither oil nor air; but is?</li> <li>A. Electro-mechanical C. Volumetric positive displacement</li> <li>B. Chamber pressure D. None of the above</li> </ul>
<ul><li>185. The third type of diaphragm pump has one or more springs with the fluid to be pumped on both sides.</li><li>A. True B. False</li></ul>
<ul> <li>186. When the volume of a chamber of either type of pump is increased (the diaphragm moving up), the pressure decreases, and fluid is drawn into the?</li> <li>A. Chamber C. Keyway</li> <li>B. Diaphragm D. None of the above</li> </ul>
<ul> <li>187. Which of the following moving up once again draws fluid into the Chamber, completing the cycle?</li> <li>A. Spring</li> <li>B. Diaphragm</li> <li>C. Time delay or ratchet assembly</li> <li>D. None of the above</li> </ul>
Water Storage Introduction  188. Which of the following prevents contamination of water as it travels to the customer, finished water storage facilities are an important component of the protective distribution system?  A. Cathodic protection C. Barrier  B. Corrosion protection D. None of the above
Storage and Distribution 189. Proper construction is important in maintaining system integrity and the distribution system must also protect?  A. Cathodic protection
Water Storage Facilities  190. Water storage facilities and tanks vary in different types that are used in the water distribution systems, such as stand pipes, elevated tanks and reservoirs, hydropneumatic tanks and?  A. Surge tanks  C. Storage reservoirs  B. Water distribution systems  D. None of the above
<ul> <li>191. Which of the following can be converted to pressure potential energy or kinetic energy for delivery to homes?</li> <li>A. Hydrostatic power</li> <li>B. Stored energy</li> <li>C. Hydraulic power</li> <li>D. None of the above</li> </ul>

Storage Reservoirs	
192. The text recommends that	be located at a high enough elevation to allow the
water to flow by gravity to the distribution system.	

A. Storage reservoirs

C. Tree systems

B. Levelers

D. None of the above

#### **Steel Reservoirs**

193. Steel reservoirs or tanks generally have higher construction and installation costs than concrete, and require less maintenance.

A. True B. False

194. Steel tanks should be inspected once a year and repainted every 5-7 years.

A. True B. False

#### **Water Use or Demand**

195. Water system demand comes from many sources including residential, commercial, industrial and public consumers as well as waste and some?

A. PressureB. System integrityD. None of the above

196. The combination of storage reservoirs and distribution lines must be capable of meeting consumers' needs for pressure at all times.

A. True B. False

197. The quantity of water used in any community varies from 100 to 200 gallons per person per day.

A. True B. False

198. Which of the following is highly desired and represents a rather significant demand upon the system?

A. Fire protectionB. Cavitation protectionC. Surge protectionD. None of the above

199. A common design usage assumption is to plan for the usage of 100 to 150 gallons per person per day for average domestic use.

A. True B. False

200. Which of the following is usually encountered during the summer months and can vary widely depending on irrigation practices?

A. Maximum daily use C. Unavoidable loss and waste

B. Minimum daily use D. None of the above

# When Finished with Your Assignment

# REQUIRED DOCUMENTS

Please scan the **Registration Page**, **Answer Key**, **Survey and Driver's License** and email it to info@TLCH2O.com.

# **IPhone Scanning Instructions**

If you are unable to scan, take a photo of these documents with your **iPhone** and send these photos to TLC, <u>info@TLCH2O.com</u>.

### **FAX**

If you are unable to scan and email, please fax these to TLC, if you fax, call to confirm that we received your paperwork. (928) 468-0675